CATALOGUE SUPPLEMENT 35

GIBSY "D" 180-200-230-249-280 INFLATABLE BOAT

5 ANNI SUL TESSUTO
5 YEARS ON FABRICS

Lightweight and cheap inflatable boats, with slatted floor, suggested as tender and ideal for short trips. Recommended for who prefers practicality but does not want to give safety up, for this reason they are equipped with separate air chambers and transom with marine wood engine pad for a safer fixing of your outboard. Quick on inflating and compact for storage in your boat, car or camper without extracting the floor from the boat.

Model		Length m	Width m	Tubular's diameter cm	Buoyancy chambers	Weight Kg	Person capacity	Maximum power HP
S00238	Gibsy 180 "D" inflatable boat	1.80	1.35	36	2	22	2	2,5
S00240	Gibsy 200 "D" inflatable boat	2.00	1.37	36	3	27,5	2	3,5
S00243	Gibsy 230 "D" inflatable boat	2.30	1.37	36	3	29,5	2	4
S00245	Gibsy 249 "D" inflatable boat	2.49	1.52	42	3	36,5	3	6
S00248	Gibsy 280 "D" inflatable boat	2.80	1.52	42	3	36,5	3	6

GIBSY "KING LIGHT" 160-180-200-249 INFLATABLE BOAT

5 ANNI SUL TESSUTO
5 YEARS ON FABRICS

Comfort and lightweight make these inflatable boats ideal for any activity. In these models the floor has been replaced by an air-mat one, high pressure inflated, that makes them extremely roomy and light avoiding any mounting operation. Anywhere stowable thanks to their carrying bag which is included in the standard equipment.

Model		Length m	Width m	Tubular's diameter cm	Buoyancy chambers	Weight Kg	Person capacity	Maximum power HP
S00456	Gibsy 160 "KING LIGHT" inflatable boat	1.60	1.18	30	2+1	13,5	1	2,5
S00458	Gibsy 180 "KING LIGHT" inflatable boat	1.80	1.29	35	2+1	16,5	1+1	2,5
S00460	Gibsy 200 "KING LIGHT" inflatable boat	2.00	1.29	35	2+1	17,2	2	3,5
S00465	Gibsy 249 "KING LIGHT" inflatable boat	2.49	1.31	40	3+1	21	3	7,5

STANDARD EQUIPMENT FOR GIBSY "D" AND GIBSY "KING LIGHT" INFLATABLE BOATS

• Pair of telescopic paddle • Seat board • Seat board cushion "Gibsy Seat Bag"
• Pump • Repairing kit • Carrying bag

GIBSY "VENUS" 290-320-360 INFLATABLE BOAT

5 ANNI SUL TESSUTO
5 YEARS ON FABRICS

This new tender line, innovative and elegant, extremely well-finished, is addressed to whom wants a high level product for his own boats or to whom uses it as leisure inflatable boat, thus representing the ideal choice for the most demanding navigators, without giving up comfort and reduced weights.
Gibsy "VENUS" series, safe and stable, join the performances of the rigid hull to the reliability of the pneumatic concept, thus becoming fast and stable.
Moreover the large tubulars grant more stability during disembarking, becoming a fender for the protection of your yacht.
The console is studied for optimizing the spaces on board and the ergonomic seats ensure a high comfort to passengers.
"Venus", born to be a tender, it turned to be a trendy product, providing a world of fun to everybody!

Technical features	Gibsy 290 "VENUS"	Gibsy 320 "VENUS"	Gibsy 360 "VENUS"
Overall length	2.90 m	3.20 m	3.60 m
Overall width	1.70 m	1.60 m	1.70 m
Internal length	1.75 m	2.28 m	2.30 m
Internal width	85,5 cm	75 cm	86 cm
Tubular's diameter	42 cm	42 cm	42 cm
Buoyancy chambers	3	3	3
Weight	95 Kg	95 Kg	135 Kg
Person capacity	4	5	5
Maximum power KW/HP	11 - 15	14 - 20	22 - 30
Type-approval design category CE	C	C	C
Tubular material	PVC 1000 gr/m² - 1100 den	PVC 1000 gr/m² - 1100 den	PVC 1000 gr/m² - 1100 den
Transom height	42 cm short shaft	42 cm short shaft	42 cm short shaft

STANDARD EQUIPMENT• Driving console with side seat
- Transom seat with backrest
- Steering system with cable
- Steering wheel with grip covered with polyurethane
- Bow locker, wide locker under-console and transom locker
- Complete cushions
- FRP Dolphin striker with bow roller and cleat made of stainless steel
- U-bolts for lifting
- Pair of oars
- Pump
- Repairing kit

EXTRA EQUIPMENT• Boat cover
- Electric pump
- Automatic bilge pump

	Model	Length m
S00929	Gibsy 290 "VENUS" inflatable boat	2.90
S00932	Gibsy 320 "VENUS" inflatable boat	3.20
S00936	Gibsy 360 "VENUS" inflatable boat	3.60

GIBSY "VENUS" 290B-320B-360B INFLATABLE BOAT

5 ANNI SUL TESSUTO
5 YEARS ON FABRICS

CE

This new tender line, innovative and elegant, extremely well-finished, is addressed to whom wants a high level product for his own boats or to whom uses it as leisure inflatable boat, thus representing the ideal choice for the most demanding navigators, without giving up comfort and reduced weights.
Gibsy "VENUS" series, safe and stable, join the performances of the rigid hull to the reliability of the pneumatic concept, thus becoming fast and stable.
Moreover the large tubulars grant more stability during disembarking, becoming a fender for the protection of your yacht.
The console is studied for optimizing the spaces on board and the ergonomic seats ensure a high comfort to passengers.
"Venus", born to be a tender, it turned to be a trendy product, providing a world of fun to everybody!

Technical features	Gibsy 290B "VENUS"	Gibsy 320B "VENUS"	Gibsy 360B "VENUS"
Overall length	2.90 m	3.20 m	3.60 m
Overall width	1.70 m	1.60 m	1.70 m
Internal length	1.75 m	2.28 m	2.30 m
Internal width	85,5 cm	75 cm	86 cm
Tubular's diameter	42 cm	42 cm	42 cm
Buoyancy chambers	3	3	3
Weight	95 Kg	95 Kg	135 Kg
Person capacity	4	5	5
Maximum power KW/HP	11 - 15	14 - 20	22 - 30
Type-approval design category CE	C	C	C
Tubular material	PVC 1000 gr/m² - 1100 den	PVC 1000 gr/m² - 1100 den	PVC 1000 gr/m² - 1100 den
Transom height	42 cm short shaft	42 cm short shaft	42 cm short shaft

STANDARD EQUIPMENT• Driving console with side seat
- Transom seat with backrest
- Steering system with cable
- Steering wheel with grip covered with polyurethane
- Bow locker, wide locker under-console and transom locker
- Complete cushions
- FRP Dolphin striker with bow roller and cleat made of stainless steel
- U-bolts for lifting
- Pair of oars
- Pump
- Repairing kit

DOTAZIONI EXTRA EXTRA EQUIPMENT• Boat cover
- Electric pump
- Automatic bilge pump

	Model	Length m
S00929B	Gibsy 290B "VENUS" inflatable boat	2.90
S00932B	Gibsy 320B "VENUS" inflatable boat	3.20
S00936B	Gibsy 360B "VENUS" inflatable boat	3.60

PVC SEAT BOARD HOLDER

PVC seat board holder for inflatable boats.

white	grey
580095	580096



PVC RUBBER PROFILE WITH COLOURED INSERT

PVC fender profile for inflatable boats, suggested as rubbing strake or as finishing thanks to its coloured inserts.

Technical features

Width	70 mm
Flat part's thickness	2 mm
Relief's thickness	4,3 mm

Insert white	Insert blue
583920	583921



PVC FENDER PROFILE WITH COLOURED INSERT

PVC rubbing strake for inflatable boats with coloured insert.

Technical features

Width	80 mm
Flat part's thickness	2,3 mm
Relief's thickness	5,3 mm
Prominent part's thickness	7,3 mm

Insert white	Insert blue
583760	583761

PVC OARS HOLDER HOOK

Oar holder hook for PVC inflatable boats.

Technical features

Length	110 mm
Width	82 mm
Height	50 mm

grey	blue
583473	583474

INFLATABLE FLOOR FOR GIBSY M SERIES INFLATABLE BOATS

Spare inflatable floor for GIBSY "M" series inflatable boats, complete with inflating valve and wooden board.

	For GIBSY "M" series m
580118	185
580121	210
580123	230
580127	270
580132	320
580138	380

MINI DEMOUNTABLE AND TELESCOPIC PADDLE

Technical features	
Maximum length	107 cm
Minimum length	45 cm
Bag dimensions	46 x 20 cm

381145 Telescopic and demountable mini paddle , made of light alloy with blade and small parts made of reinforced plastic red colour for high visibility.
Suitable for dinghies, canoes and life rafts.
Supplied with bag

ADEDUR 36

584975 Adedur 36 specific activator for glueing PVC fabrics. Thanks to its mixture, it lasts longer during application and when it dryes it does not turn yellow.
Packing : 30 ml.

BICOMPONENT ULTRA PROFESSIONAL REPAIRING KIT FOR INFLATABLE BOATS

REPAIRING KIT FOR NEOPRENE INFLATABLE BOATS

It consists of:
- 1 Adeprene forte (400 g) pack
- 1 activator (50 ml)
- 1 brush
- 1 Pasteur pipette
- 1 measuring cup
- 1 spatula
- 2 round and 3 rectangular clothes
- 1 pair of gloves
- 1 user's manual

REPAIRING KIT FOR PVC INFLATABLE BOATS

It consists of:
- 1 Adegrip (400 g) pack
- 1 Cleaner 264 (250 ml) pack
- 1 activator (50 ml)
- 1 brush
- 1 Pasteur pipette
- 1 measuring cup
- 1 spatula
- 2 round and 3 rectangular clothes
- 1 pair of gloves
- 1 user's manual

Colour	REPAIRING KIT for NEOPRENE	REPAIRING KIT for PVC
orange	585011	585016
white	585012	585017
black	585013	585018
grey	585014	585019

STAINLESS STEEL HANDED FAIRLEAD

Right and left hand fairlead mirror polished **STAINLESS STEEL AISI 316**.
Sold in pairs.

	Length mm	Width mm	Height mm	Hole-to-hole distance mm	For rope Ø mm
210900	115	18	28	85	14
210902	150	23	34	110	16

STAINLESS STEEL HANDED FAIRLEAD

Right and left hand fairlead mirror polished **STAINLESS STEEL AISI 316**.
Sold in pairs.

	Length mm	Width mm	Height mm	Hole-to-hole distance mm	For rope Ø mm
210906	115	20	34	124	14
210907	150	25	42	164	16
210908	200	30	52	208	24

STAINLESS STEEL FAIRLEAD WITH WHEELS

Fairlead with wheels made of mirror polished **STAINLESS STEEL AISI 316**, complete with screws for fixing.

	Length mm	Width mm	Height mm	For rope Ø mm
210919	205	40	55	from 16 to 22
210920	260	40	75	from 22 to 30

BOW FENDER

Technical features	
External diameter	330 mm
Internal diameter	100 mm
Weight	900 g

490550 Bow fender made of plastic material, soft, white colour with inflating valve. Equipped with eyelets for an easy fixing.

BOW FENDERS

Bow fender made of plastic material, soft, white colour with inflating valve.
Equipped with three eyelets for an easy fixing.

	A mm	B mm	C mm
490928	340	260	360
490929	530	380	520



INFLATABLE FENDER

White colour fender.

	Ø mm	mm	N. of eyelets hook up
490624	90	300	1
490626	140	420	2
490628	150	600	2
490630	190	680	2
490631	200	560	2
490632	220	720	2
490634	250	800	2
490636	300	900	2

INFLATABLE FENDER

Pear shaped inflatable fender made of **PVC**, in one single fusion that makes it resistant to abrasions. Suitable for heavy uses. It does not fade.
Standard inflation: 0,15 bar (20°C).

	Ø cm	cm
490835	35	48
490845	45	62
490855	55	73
490865	65	88
490868	85	105

MINI INFLATABLE FENDER

MINI pear shaped inflatable fender , can be used as marker buoy.
The smallest size (our code 490801) can be used also as line-throwing buoy for dock mooring operations.

	Ø mm	mm
490801	90	110
490806	150	200
490807	180	240
490808	210	280
490809	260	360

FENDER - HAULING ROLLER

PVC inflatable fender white colour.
It can be used as hauling roller and floating reserve.
Suitable for all kind of boats.

	Ø mm	mm	Weight Kg
490497	260	780	3
490498	260	1100	3,5
490499	260	1230	4,5

ENGINE BRACKET FOR PULPIT

Technical features

For tubes diameter	25 mm
Dimensions	177 x 168 mm
Max load	36 Kg

061270 Fixed engine bracket for application on pulpits and handrails. Plastic board complete with screws for mounting.

STAINLESS STEEL HANDRAIL WITH LED LIGHT

Polished **STAINLESS STEEL AISI 316** lateral handrails with led lights.

Technical features

Pipe diameter	22 mm
Internal height	50 mm

	Length inner cm	Length external cm	No.LED
149993	30	36	1
149995	50	56	2
149998	80	86	3



STAINLESS STEEL AISI 316 FITTING FOR PIPES OF DIFFERENT DIAMETERS

Technical features

Length	40 mm
For pipe Ø	from 22mm to 25 mm

127135 **STAINLESS STEEL AISI 316** connector that combines two pipes of different diameters without welding or makes them telescopic (one of 22 mm and the other 25 mm).

IMITATION LEATHER SEAT

Imitation leather seat with nylon hinges. Foldable backrest. Suggested for installation on any boat or inflatable boat.

Technical features

Length	500 mm
Width	450 mm
Height in open position	460 mm

126006 Imitation leather seat white and blue colour.

IMITATION LEATHER SEAT

Imitation leather seat with varnished aluminium hinges. Foldable backrest. Suggested for installation on any boat or inflatable boat.

Technical features

Length	420 mm
Width	300 mm
Height in open position	460 mm

126012 Imitation leather seat blue colour.

SWIVEL SEAT'S PEDESTAL

PEDESTAL

Technical features

Height	460 mm
Base diameter	225 mm

125973 Anodized aluminium seat pedestal with plastic swivel bracket.
Suitable for seats 126015 - 126010.
Possibility to shorten the shaft.

PLATE

Technical features

Dimensions	335 x 185 mm

125978 Aluminium and **STAINLESS STEEL** sliding plate.
Suitable for pedestals 125973 - 125975 - 125976.



SWIVEL SEAT'S PEDESTAL

Swivel 360° seat pedestal made of anodized anticorodal aluminium.

Technical features

Lower base diameter	230 mm
Tube diameter	73 mm
Height	465 mm
Support made of reinforced plastic	190 x 170 mm
Aluminium sliding plate	340 x 200 mm

Pedestal only	Pedestal with sliding plate
125981	125982

GAS SEAT'S PEDESTAL

Technical features

Lower base diameter	305 mm
Tube diameter	87 - 73 mm
Height	430 - 610 mm
Support with sliding plate	340 x 200 mm

125985 Swivel seat pedestal 360° made of anodized anticorodal aluminium with gas actuator and sliding plate.

"NAOMI" FOLDABLE CHAIR

Foldable chairs, lightweight and space saver, equipped with stuffed armrests and handle, with seat and backrest made of acrylic fabric and marine decoration. Modern design and very comfortable use. The attention for details and the care for finishings make these chairs the ideal furniture for any boats. Entirely made of polished anodised aluminium.

Technical features

Pipe diameter	25 mm
Weight	4,4 Kg

unbleached	blu navy
125901	125902

S.STEEL "VENERE" FOLDABLE SEAT

Foldable chairs, of minimal space, with stuffed armrests.
Version completely made of **STAINLESS STEEL**, available in fabric or in white leatherette with internal part made of soft expanded polyurethane.
The attention for the details make these chairs the ideal furniture for any boats.
White colour.

Technical features

Pipe diameter	25 mm

Acrylic fabric with armrests made of stuffed leatherette	Cushion, backrest and armrest stuffed leatherette
125907	**125908**

STORAGE SEAT

Fiberglass storage seat reinforced with hinges and lever latch with padlock holder made of **STAINLESS STEEL**.

	Model	Length cm	Width cm	Height cm
127920	DEVIS	80	32	52
127923	KING	142	48	55

OVAL-SHAPED WALL OBJECT HOLDER

Technical features

Dimensions	535 x 320 mm
Flush mount dimensions	495 x 280 mm
Depth	116 mm

310283 Wall mounted object holder compartment with falls protection panel made of white strong plastic material UV rays resistant.

INSPECTION HATCH WITH WATERTIGHT BAG

Technical features

External diameter	205 mm
Internal diameter	155 mm
Recessed diameter	160 mm

310260 Watertight inspection hatch made of white ABS with transparent cover.
Complete with nylon removable glove compartment bag.

SPECIAL SCREWABLE HOOK FOR MOORING

338498 Special screwable hook with double opening to fit wood or aluminium poles with the same thread of a common broom handle. It lets you hook a buoy's eye and bring the rope on deck.
Made of high resistance nylon black colour.



IN-LINE BLOWER

In-line blowers. White, reinforced ABS housing. Ideal for bilge and engine rooms ventilation as well as for lockers and galleys.

Technical features

Voltage	12 Volts

	Amp	Capacity sqm/h	Length mm	Width mm	Height mm	Ø in/output mm
601196	2,5	220	209	135	114	80
601197	6	460	204	152	135	105

SELF LOCKING PIN WITH CABLE

Technical features

Pin diameter	6,3 mm
Cable usable length	30 mm
Cable diameter	1,2 mm

127266B **STAINLESS STEEL** self locking pin. For multipurpose use where instead of screw it's better to use a fast and safe locking device for booms, sun tops fittings, etc. Suitable for all our bases for sun tops.
Packing 2 pieces.



STAINLESS STEEL EYE STRAP

STAINLESS STEEL AISI 316 eye straps.

	Length mm	Height mm	Hole-to-hole distance mm
143800	65	16	57
143801	80	20	72
143802	100	25	88



STAINLESS STEEL HINGE

Technical features

Length	60 mm
Width	39 mm
Hole diameter	6,5 mm
Thickness	1,85 mm

143336 **STAINLESS STEEL AISI 316** polished folding hinge with standard pin.

ANTI-THEFT DEVICE WITH PADLOCK

Special anti-theft for outboards made of polished **STAINLESS STEEL**. Complete with long arch padlock.

	Length mm	Width mm
260824	235	45
260835	280	45

STAINLESS SEEL LATCH WITH PADLOCK HOLDER

STAINLESS STEEL 316 latch with padlock holder.

Technical features

Hole diameter	5 mm
Thickness	1,2 mm

	Length mm	Width mm
143289	54	23
143290	64	32

STAINLESS SEEL LATCH WITH PADLOCK HOLDER

STAINLESS STEEL 316 latch with lock and padlock holder.

Technical features

Hole diameter	5 mm
Thickness	1,2 mm

	Length mm	Width mm
143292	70	28
143293	94	28

STAINLESS STEEL LATCH

Technical features

Length	70 mm
Width	28 mm

201172 **STAINLESS STEE AISI 316** latch with padlock holder.

STAINLESS STEEL LATCH

STAINLESS STEEL adjustable latch with padlock holder.

	Length mm	Width mm
201165	98	26
201166	150	40

MAGNETIC DOOR HOLDER

Technical features	
Total height	59 mm
Base width	47,5 mm
Tensile strenght	4 Kg

200808 Magnetic door holder a/o cabinet door holder made of ABS with **STAINLESS STEEL** details.

STAINLESS STEEL AISI 316 LIFT AND TURN LATCH WITH COVER

Technical features	
A	110 mm
B	115 mm
C	91 mm
D	51 mm
E	15 mm
F	75 mm

200738 **STAINLESS STEEL AISI 316** mirror polished lift and turn latch.
Complete with internal padlock holder and adjustable lift and turn latch.



FLAT COAT HOOK

Technical features	
Width	25 mm
Height	75 mm

201196 **STAINLESS STEEL AISI 316** mirror polished foldaway coat hook.

MARINE CARPET



Marine non-slip carpet especially studied for marine use on any boat.
Made of 100% polypropylenic fiber, antimould, treated against atmospheric agents and saltiness.
It does not fade even if exposed to U.V. rays, it does not rot and water drains.
Available in different colours.

Technical features

Height	200 cm

beige	navy blue	electric blue	grey	Roll of m
503941	503942	503943	503944	25

MARINE STRIPED CARPET



Marine striped non-slip carpet especially studied for marine use on any boat.
Made of 100% polypropylenic fiber, antimould, treated against atmospheric agents and saltiness.
It does not fade even if exposed to U.V. rays, it does not rot and water drains.
Available in different colours.

Technical features

Height	200 cm

blue - black stripes	grey - black stripes	Roll of m
503947	503948	25

WASHER

Technical features

Washer diameter	50 mm
Hole diameter	3 mm

127578 Plastic toothed washer for fixing sound deadeners onto ceilings or bulkheads.

STRETCHER FOR BIMINI TOPS

Stretcher for bimini tops made of mirror polished **STAINLESS STEEL AISI 316**.
Ideal for pulling biminis without demounting them.

	For pipe Ø mm	Length mm	Stroke mm
127132	20	135	30
127135	25	135	30
127136	30	144	32

OPENABLE JOINT STAINLESS STEEL AISI 316

Openable **STAINLESS STEEL AISI 316** joint with quick release connector for pulpits and biminis.

For hose Ø 22 mm	For hose Ø 25 mm
127172	**127175**

PROTECTIVE STRAP FOR ROPES AND BOWLINE KNOTS

Nylon strap black colour complete with Velcro closure for mooring ropes' protection, bowline knots and electric wires used from docks to the boat. Particularly soft and resistant, easy to use.

	For rope max Ø mm	Height mm	Roll of m
514991	18	120	25
514993	28	150	25
514995	44	180	25

RATCHET TIE DOWN STRAPS

Technical features

Ratchet dimensions	31 x 83 mm
Plate dimensions	52 x 91 mm
Length	130 cm
Width	25 mm

502300 Adjustable belt with **STAINLESS STEEL** ratchet and plastic plate, put under the lock to avoid boat's scratches. Complete with one galvanised steel hook and another one made of plastic.
Packing: 2 straps.

WALL MOUNTED MOBILES HOLDER

Technical Features

Width	98 mm
Height	126 mm

601148 Wall mounted mobile or laptop holder, realised with elastic rope and plastic frame.

DOUBLE BRAID 100% POLYESTER HIGH TENACITY FOR SHEETS



Double braid with 16 spindles 100% polyester fiber high tenacity braided core made of polyester fiber without internal core (SAG manufacturing).
Low elongation capacity, since realised with opposed and balanced twists, thus remaining always soft and easy to splice.
Recommended for sheets.
Sinkable.
White colour with coloured insert.

	Ø mm	m	Weight per meter g	Breaking load Kg
511705	5	200	18	420
511706	6	200	21	650
511708	8	200	43	1200
511710	10	200	64	1600
511712	12	200	104	2200
511714	14	200	141	3500

DOUBLE BRAID 100% POLYESTER HIGH TENACITY FOR HALYARDS



Double braid with 32 spindles 100% polyester fiber high tenacity braided core made of polyester fiber without internal core (SAG manufacturing).
Maximum tenacity and low elongation capacity, since realised with opposed and balanced twists.
Suggested for halyards.
Sinkable.

Ø mm	blue coloured insert	yellow coloured insert	red coloured insert	grey coloured insert	m	Weight per meter g	Breaking load Kg
4	**511804**	-	-	-	200	15	350
5	-	**511805**	-	-	200	18	420
6	-	-	**511806**	-	200	25	650
8	-	-	-	**511808**	200	49	1200
10	**511810**	-	-	-	200	77	1990
12	-	**511812**	-	-	200	99	3100

ULTRAFLEX HYDRAULIC STEERING SYSTEM FOR OUTBOARDS UP TO 115 HP

GOTECH COMPLETE KIT

127941 **GOTECH** complete kit composed of:
- Pump UP18 code 127942
- Hydraulic cylinder front mounting UC81-OBF code 127943
- 2 lt.Hydraulic oil code 439282
- 2 hoses kit ¼" diameter, length 6 m with fittings our code 128026.

ULTRAFLEX UP18 HYDRAULIC PUMP

Technical Features	
Mounting	half-recessed mounting
Displacement/revolution	18 cc - 1.1 cu.in
Pistons number	5
Wheel turns	4,5
Maximum steering wheel diameter	508 mm - 20"
Weight	3,6 Kg

127942 This pump is realised with the latest technologies and build with composite material corrosion resistant.
Equipped with non-return valve for over pressure-protection.
Integral relief valve for over-pressure protection with relief setting at 55 bar - 800 PSI.
Requires preassembled flexible hoses KIT OB-GT/M code 128026.



ULTRAFLEX UC81-OBF HYDRAULIC CYLINDER

Front mounting cylinder for outboards.
- Balanced: the number of turns lock-to-lock is equal port to starboard or vice-versa.
- Uses preassembled flexible cables KIT OB-GT/M our code 128026.

Technical Features	
Max HP	115 HP
Volume	81 cc
Thrust	222 Kg - 489 lb
Maximum speed	30 knots
Internal diameter	27,4 mm - 1,08"
Stroke	186 mm - 7,3"
Fittings	3/8" - 9,5 mm

127943 Cylinder model UC81-OBF.



HOSE KIT OB-GT/M FOR GOTECH STEERING SYSTEM

Technical features	
Diameter	¼"
Length	6 m (19,7")

128026 Kit composed of two high resistance flexible hoses, complete with preassembled fittings with turnable pressed nut at one end only and a part other two fittings.
The kit must be used exclusively with GOTECH steering system.
The hydraulic hose can be cut according to the required use.

UC81-OBF CYLINDER APPLICATIONS

ATTENTION PLEASE The scheme here below has to be considered as for information and requires an attentive control by the installator. The UC81-OBF cylinder cannot be installed on powerboats.

Engine	Model	Year
Mercury Mariner	50 – 75 – 90 2S	1990-2008
	115 EFI 2S	1990-2007
	75 – 90 – 115 Optimax 2S	2004-today
	40 – 50 – 60 EFI 4S	2004-today
	75 – 80 – 90 EFI 4S	2000-today
	100 – 115 EFI 4S	2007-today
Evinrude	E40-E50-E55-E60 2S	2004-today
	E75-E90 2S	2004-today
	E115 2S V4	1995-today
Yamaha	60-70 2S	1984-2008
	75C-90 2S	1998-2008
	115C 2S	1990-2008
	F40G-F70 4S	2010-today
	F30-F40-F60-F75-F80 EFI 4S	1999-2007
	F90-F100-F115 EFI 4S	1999-2007
	F80-F100 4S	2000-today
	F115	2004-today
	F40D-F50F-F60C EFI 4S	-
Honda	BF40-50-60-75-90 4S	1995-today
	BF115D	1998-2009
	BF115A	2009-today
	BF90 V-TEC 4S	2008-today
Suzuki	DF40-50-60-70-80-90 4S	1998-today
	DF100-115 4S*	1998-2008
	DF100-115 4T new model	2008-today
Tohatsu Nissan	40-50-60-70-90 2S	2004-today
	75-115 2S	2004-today
	40-50TLDI 4S	2004-today
	70-90-115 TLDI 4S	2004-today
Selva	40XS-50 Madeira 2S	-
	40XS-50 Bull shark 2S	-
	40XS-60 Grey shark 2S	-
	40XS-70 Mako Shark 2S	-
	40XS-60 St.Tropez 2S	-
	80 Portofino/Tigershark 2S	-
	25 Kingfish 4S	1995-today
	40 Aruana 4S	-
	40XS-40XSR-50-60 Dorado EFI 4S	-
	40XSR EFI Murena 4S	-
	80XS-100-100XSR EFI Marlin 4S	-
	115-115XSR EFI Tarpon 4S	2000-today
	115 EFI Narwhal 4S	-
Johnson	BJ60-70 4S	2001-2007
	BJ90-115 4S	2001-2007
	J90-115 V4 2S	1995-2007

***NOTE:**
with the Suzuki engines produced from 1998 until 2008 (old model) you must order the adaptor kit together with UC81-OBF cylinder code 41954W.

KEY FOR PROPELLER NUT

Technical features

For nuts diameter	27 mm
Length	330 mm

750003 Nylon and fiber glass key, to use for screwing and/or unscrewing the propeller's nut.

HYDRAULIC STEERING SYSTEM GF90BT FOR OUTBOARDS UP TO 80 HP

GF90BT COMPLETE KIT

128118 GF90BT complete kit composed of:
- Volumetric pump GM3-MRA code 128119
- Hydraulic cylinder MC90B code 128121
- 1 lt. Hydraulic oil code 439281
- Fitting kit
- 2 flexible hoses kit SAE 100 R7 ¼ 5 m length.

GM3-MRA HYDRAULIC PUMP

Technical features	
Mounting	front
Displacement/revolution	14 cc
Volume	75 cm³
Pistons number	7
Wheel turns	5,2
Max pressure	50 bar
Weight	3,7 Kg

128119 Volumetric pistons pump for frontal mounting GM3-MRA.
All the parts of the pump are made of high quality materials which features match the functions of each component:
- The shaft is made of **STAINLESS STEEL AISI 316**
- The rotor is made of **STAINLESS STEEL**
- The valve is made of brass
- **The pump is supplied with non-return and overpressure valve**.



HYDRAULIC CYLINDER MC90B FOR OUTBOARDS

Technical features	
Max HP	80 HP
Volume	75 cm³
Stroke	100 cm³
Weight	4 Kg

128121 Compact cylinder, universal and balanced MC90B for front mounting; suitable for outboards with max power up to 80 HP.
It's made up of **STAINLESS STEEL AISI 316** heads, body and shaft.
For use with SAE 100 R7 5/16 fitted flexible hoses code 128092 - 128098.



FITTINGS FOR HYDRAULIC STEERING SYSTEMS



Fittings for Ultraflex and Mancini hydraulic steering systems hoses, latest models.

128001	A - "T" connector with thread on 3 sides 9/16 UNF.
128002	B - "T" 1/4" connector with air valve and opposite side with 9/16 UNF thread.
128003	C - Connector 90° 1/4" with 9/16 UNF thread.
128004	D - Connector 1/4" with thread 9/16 UNF.

FIVE SPOKE S.STEEL STEERING WHEEL

Technical features

External diameter	340 mm

129646 **STAINLESS STEEL** 5-spoke steering wheel with white colour polyurethane grip.

PURIFYING FUEL PRE-FILTER

Pre-filter for fuel and diesel, complete with chromed brass frame and transparent inspection cap for the control of impurities and deposits.

Technical features

Optimal flow rate	75 l/h
Outputs diameter	8 - 9 mm

	Model	Filter type
297016	DIESEL FUEL	nylon fiber and **STAINLESS STEEL**
297017	GASOLINE	paper and **STAINLESS STEEL**

MANUAL PUMP DOUBLE DELIVERY FOR OIL CHANGING

Technical features

Length	300 mm

600434 Manual pump double delivery for oil changing for outboard and I/O engines.
Complete with plastic hose to be inserted into dipstick's hole, drainage hose and adaptor.

EXHAUST PIPE

Neoprene fuel exhaust pipe with **STAINLESS STEEL** ring.

	Ring nut diameter mm	Total length mm	For exhaust hoses diameter mm
290026	86	121	40
290027	112	125	50 - 60
290028	162	133	75 - 90

FUEL TANK

FUEL TANK

Technical features	
Capacity	22 l
Height	405 mm
Width	330 mm
Depth	240 mm
Weight	2 Kg
Fuel reserve indicator	2 l

300101 Vertical fuel tank with filling cap that works also as tank vent. Complete with fuel pick up, level sender and fuel reserve indicator.

SPARE PARTS

300124 Cap complete with gasket for portable tanks.

300124G Cork gasket for cap our code 300124.

300129 Fuel pick up for portable tanks.

GFN ELTEX TANK

Eltex tank, it works both vertically and horizontally.

FUEL TANK

	Capacity l	Model	Fuel reserve l	Height mm	Width mm	Depth mm	Weight Kg
300104	12	-	1	420	260	200	1,4
300107	24	**with fuel level**	2	505	330	230	2,2

SPARE PARTS

300124 Cap complete with gasket for portable tanks.

300124G Cork gasket for cap our code 300124.

300129 Fuel pick up for portable tanks.

ELTEX TANK

FUEL TANK

	Capacity l	Model	Fuel reserve l	Height mm	Width mm	Depth mm	Weight Kg
300113	12	-	2	400	280	170	1,4
300123	23	**with fuel level**	3	460	340	230	2,1
300128	30	**with fuel level**	4	510	365	230	2,5

SPARE PARTS

300124 Spare cap with vent for tanks code: 300113-300123-300128.

300124G Cork gasket for cap our code 300124.

300126 Spare cap with vent and level sender for codes: 300123-300107-300128.

300129 Fuel pick up for portable tanks.

INSPECTION PORTHOLE

PORTHOLE

300212 Inspection porthole complete with all connections required for the functioning of large size tanks, composed of:
- Hatch made of reinforced nylon
- Threaded cap with vent
- Fuel pick up with Ø 10 hose fitting
- 3/8" cap - Ø 16
- Blind flange ready to take fuel level

CAP

300213 Spare cap for tanks.

O-RING

300212/1 O-ring for inspection porthole our code 300212.



PVC FUEL HOSE

PVC fuel hose resistant to oil products and to marine environment.
Suitable for loading unleaded fuel and diesel.
Grey colour.

	Model	internal Ø mm	external Ø mm	packing m
292182	STANDARD	8,5	12,3	20
292184	**REINFORCED**	8	13,5	15,25
292186	**REINFORCED**	9	13,5	20

RUBBER LIKE - POLYURETHANE FUEL HOSE

Certified fuel hose, externally made of rubber and polyurethane internally.
Suitable for loading fuels, with more than 1.0 Mpa resistance and kept in fuel RP and toluene solution RPE 55° - 85°.
Grey colour.
Legislative reference:
- **ISO 8491 B1**

	internal Ø mm	external Ø mm	packing m
292188	8	14	50
292189	9,5	15	50

PVC-TEFLON FUEL HOSE

PVC fuel hose TEFLON covered resistant to oil products and to marine environment.
Suitable for loading unleaded fuel and diesel.
Grey colour.
Legislative refernce:
- **US EPA (US market)**
- **W/USCG type B1-15**
- **ISO 8469 class 1**
- **SAE J1527 type R4, class B1-15.**

	internal Ø mm	external Ø mm	packing m
292192	8	13,7	15,25
292194	9,5	14,6	20

PVC FUEL HOSE WITH PUMP

Technical features	
Hose internal diameter	8,5 mm
External hose diameter	12,3 mm
Tube length	2 m

292305 Reinforced PVC fuel hose (code 292182) complete with pump (code 293860) and **STAINLESS STEEL** clamps.

REINFORCED PVC FUEL HOSE WITH PUMP

Technical features	
Hose internal diameter	9 mm
External hose diameter	13,5 mm
Tube length	2 m

292307 Reinforced PVC fuel hose (code 292186) complete with pump (code 293861) and **STAINLESS STEEL** clamps.

GAS COOKER WITH S.STEEL 2-BURNER HOB AND OVEN

Technical features

Dimensions (L x H x W)	448,6 x 397,5 x 356,9 mm
Dimensions with cardanic suspensions (L x H x W)	475 x 429,5 x 356,9 mm
Oven capacity	28 l
Hob-unit burners	2

240124 Two-burner cooker with oven, equipped with a safety ignition system (thermocouple) on all burners. Built completely in mirror polished **STAINLESS STEEL** both internal and external. Extremely compact design, with internal light and transparent door with safety lock.
Supplied with:
- Potholder Kit
- Chromed grill
- Coated baking tray.

CE

GAS COOKER WITH S.STEEL 2-BURNER HOB AND OVEN WITH GRILL BURNER

Technical features

Dimensions (L x H x W)	448,6 x 507,5 x 356,9 mm
Dimensions with cardanic suspensions (L x H x W)	475 x 539,5 x 356,9 mm
Oven capacity	28 l
Hob-unit burners	2

240122 Two-burner cooker with **oven with grill cabinet**, equipped with a safety ignition system (thermocouple) on all burners. Completely built in mirror polished **STAINLESS STEEL** both internal and external. Extremely compact design, with internal light and transparent door with safety lock.
Supplied with:
- Potholder Kit
- Chromed grill
- Coated baking tray.

CE

GAS COOKER WITH GLASS HOB AND OVEN WITH GRILL BURNER

CE

Gas cooker with hob and **oven with grill cabinet**, equipped with a safety ignition system (thermocouple) on all burners and **electric ignition**. Completely built in mirror polished **STAINLESS STEEL** both internal and external with tempered glass surface, easy to clean.
Internal light and transparent door with safety lock.
Supplied with:
- Pot holders kit
- Chromed grill
- Coated baking tray.

Technical features

Electrical ignition	12 Volts

	Number of burners hob	Oven capacity l	Dimensions (L x H x W) mm	Dimensions with cardanic suspensions (L x H x W) mm
240120	2	28	500 x 390 x 395	473 x 435,4 x 470
240123	3	30	525 x 457 x 395	501 x 500 x 470

SPARE LOCKING HOOK FOR IGLOO ICEBOX

643136 Locking hook for IGLOO ice box made of plastic.
Complete with screws for fastening.

STRAIGHT SHOWER WITH CHROMED BRASS HEAD

243410 Shower with push button, built in anti-shock material and chromed brass head.
Fitting suitable for our hoses from code 243716 to code 243750. suitable for our shower holders code 243564 and 243570.

ELECTRIC TOILET "360° ORBIT" SPACE-SAVER

"360° ORBIT" space-saving electric toilet ideal to be installed in any position, thing that you cannot do with other toilets. The main advantage is the excusive ORBIT 360° technology, which means that the base can be fixed to any angle to the bowl to avoid walls or adapt to diverse bathroom layouts. That's why it fits where other marine toilets won't. A further important feature is the highly effective macerator system with 10-blade system made of **STAINLESS STEEL** which pulverizes waste for optimum and fuent flow thus minimising the chance of odour permeation, so you can enjoy your cruise in complete comfort and convenience.
Ceramic bowl with seat and enameled wooden cover.
The compact size base fits the preassembled connections for the WC.
Available both for fresh and for sea water.

Technical features

Consumption	20 Amp (12 Volts) 10 Amp (24 Volts)
Dimensions	483 x 381 x 375h mm
Weight	15,9 Kg

Volts	Salt Water	Fresh Water
12	**601053**	**601054**
24	**601057**	**601058**

HINGES KIT FOR JABSCO COMPACT TOILET SEATS

601003 Hinges kit complete with pins for toilets' seats COMPACT "JABSCO" (code JABSCO 29098-1000).

HINGES KIT FOR JABSCO REGULAR TOILET SEATS

601004 Hinges kit complete with pins for toilets' seats REGULAR"JABSCO" (code JABSCO 29098-2000).

"JABSCO" NON RETURN VALVE.

601006 Original "JABSCO"non return valve.
It can be used on "JABSCO" manual toilets models from 1986 onwards.

IMPELLER FOR "JABSCO" WC

601029 Original "Jabsco" impeller.
It can be used on "JABSCO" electric toilets various models.

NON-RETURN VALVE

601039 Non return valve that can be used on manual toilets our codes 601000 and 601001.

THRU-HULL FITTING WITH NON-RETURN VALVE

VALVE

Technical features	
Thread	1" 1/2
Front ring external diameter	84 mm
Hose connector	38 mm
Total length	112 mm

318946 Polypropylene thru-hull fitting with front mounting nut complete with elastomer non return valve.

GASKETS KIT

318946/1 Spare gaskets kit for drain socket our code 318946.

BILGE PUMP WITH AUTOMATIC FLOW AND PRESSURE REGULATION

Self-priming water pressure pump with automatic adjustment both of flow and pressure thus reducing the consumption.
The by pass valve prevents from pulsations and makes the pump more silent.
The pump is supplied with rubber legs against corrosion and noise and with a thermal protection against accidental overheating and can run dry without damage.
Diaphragms are made of Santoprene and grant a constant and silent flow.
Supplied complete with filter and hose connectors.

	Model	N° diaphragm	Volts	Flow rate l/min - GPM	Max power consumption Amp	Blocking pressure PSI-Bar	Dimensions mm
600204	42S	4	12	11,3 - 3,0	7,5	55 - 3,8	202,5 x 125 x 111
600208	51S	5	12	20 - 5,5	8	60 - 4,2	221,5 x 146 x 132

WASHING PUMP WITH ACCESSORIES KIT

Technical features

Voltage	12 Volts
Flow rate	20 l/min - 5.5 GPM
Dimensions	221,5x146x131,8 mm
Blocking pressure	45 PSI - 3,1 bar

600180 Self-priming washing pump with automatic adjustment both of the flow rate and pressure thus reducing the consumption. Thanks to the by-pass valve the pulsating effect is minimized and the pump is much more silent.
The pump is equipped with rubber legs against corrosion and noise and with a thermal protection against accidental overheating and can run dry without damage.
The 5 diaphragms are made of Santoprene and grant a silent and constant flow.
Ideal for washing boats, livewell tanks, anchors, inflatable boats, caravans and mobile homes.
The kit includes filter, hoses connectors, flexible hose UV ray resistant and washing gun with automatic fitting.

FOLDABLE EMERGENCY TANK

Technical features

Capacity	15 l

250290 Foldable emergency tank made of LDPE material highly resistant to shocks, easy to transport, ideal for any liquid (no hydrocarbons) or for thousands other use being also suitable for food.

FUEL BOX STOP

Technical features

External dimensions	100 x 105 mm
Depth	70 mm

630430 ABS case white olour for fuel stop in case of emergency.

SBC NRG

HIGH EFFICIENCY MORE THAN 92%

SBC NRG battery charger, with higher efficiency in comparison with the market standards, innovative design, well-advanced technology which means reduced consumption, less heat's generation and limited acoustic noise.
The high performances of SBC NRG battery allow a fast and safe battery charging. Other important advantages that the SBC NRG battery chargers offer are:

- Three stage IUoU battery charging.
- Multiple outputs in order to charge more groups of batteries (electronic mosfet charge separator inside).
- Differentiated charging for open or sealed liquid electrolite, GEL or AGM batteries.
- The possibility of using the battery charger as a power supply without batteries.
- Integrated output fuses inside the battery charger.
- Capacity of supplying full power with low AC network supply voltage.
- Low residual fluctuation on output.
- Universal AC supply input (mod. 1450/1950/2450 NRG HR excluded).
- Compatible with any generator.
- Can work in a wide range of ambient temperatures.
- Variable speed of the cooling fan.
- User's interface (multilingual) with LCD display and 3 buttons (except mod. SBC 140/250/300/365 NRG FR).
- Reduced power mode automatic and manual.
- CAN BUS interface for data transfer.
- Possibility to connect up to three battery chargers of the same model in parallel, by means of digital control, for current sharing (only for mod. SBC 700/1450/1950/2450 NRG FR).
- Protection against overheating of the batteries (with optional sensors).
- **Short circuit, overloading, output overvoltage and overheating protection**.

CE

SBC NRG Mini / Low

	Model	Volts	Max current output Amp	N. outputs	Max power consumption (230 Vac) Amp	Supply voltage Vac	Frequency Hz	Dimensions mm	Weight kg
628954	SBC NRG 140 FR	12	12	2	0,9	264 ÷ 83	45 ÷ 66	175 x 114 x 71	1,1
628955	SBC NRG 250 FR	12	25	3	1,8	264 ÷ 83	45 ÷ 66	240 x 114 x 71	1,6
628960	SBC NRG 300 FR	12	30	3	2,1	264 ÷ 83	45 ÷ 66	240 x 114 x 71	1,6

SBC NRG Medium

	Model	Volts	Max current output Amp	N. outputs	Max power consumption (230 Vac) Amp	Supply voltage Vac	Frequency Hz	Dimensions mm	Weight kg
628965	SBC NRG 500 FR	12	40	3	2,7	264 ÷ 83	45 ÷ 66	360 x 243 x 116	3,9
628966	SBC NRG 700 FR	12	60	3	3,9	264 ÷ 83	45 ÷ 66	463 x 243 x 116	5,3
628975	SBC NRG 750 FR	24	30	3	3,8	264 ÷ 83	45 ÷ 66	463 x 243 x 116	5,3

SBC NRG HI Power

	Model	Volts	Max current output Amp	N. outputs	Max power consumption (230 Vac) Amp	Supply voltage Vac	Frequency Hz	Dimensions mm	Weight kg
628977	SBC NRG 1450 HR	24	60	3	7,9	264 ÷ 161	45 ÷ 66	542 X 243 X 116	6,9
628978	SBC NRG 1950 HR	24	80	3	10,5	264 ÷ 161	45 ÷ 66	542 X 243 X 116	6,9
628979	SBC NRG 2450 HR	24	100	3	12,9	264 ÷ 161	45 ÷ 66	542 X 243 X 116	6,9

BATTERY BOX

Technical features

External dimensions	420 x 230 x 340h mm
Internal dimensions	335 x 180 x 230h mm
For batteries	up to 100 Amp

627655 Battery box with external outputs that supply energy directly to the engine without opening it. Equipped with battery level indicator and with 60 Amp. protected switch. It has also two 12V cigarette lighter sockets protected with 15 Amp switch.

MODULAR BATTERY BOX

Technical features

Dimensions	337 x 197 x 268h mm
For batteries	up to 100 Amp

627633 Battery box made of plastic material.
Model that allows to join more boxes, both in width and in length.
Supplied with strap for cover lock and adjustment buckle.

SET OF 10 SAFETY KEYS

630395 Set of 10 safety keys for ignition cut-off switches with lace and snap hook. Suitable for the following 2 and 4 stroke outboards:

- JOHNSON
- EVINRUDE
- YAMAHA
- HONDA
- MERCURY
- MARINER
- SUZUKI
- TOHATSU
- KAWASAKI

UNIVERSAL IGNITION CUT-OFF SWITCH WITH FLOATING CABLE

630397 Automatic disconnector complete with floating lace.
All-purpose, because thanks to slip-off clip system, universal size, it can open and close the circuit depending on the terminals that are connected.

UNDERWATER AND OUTDOOR 6-LED LIGHT

Underwater light also for outdoor use 6 LED, light, stylish and solid thanks to the polycarbonate case. Small dimensions for a quick installation. No polarity and protected against tension peaks. For assemblying it is necessary a single hole for the wire (18 mm) or you can use the spacer (code 639685) thus avoiding to pierce the wall where you want to install the light. Ideal for platforms, roll-bars, biminis, cockpits, engine compartments, kitchens and bathrooms.
Supplied with two frames for wall and recessed mounting and 2 mt cable.



UNDERWATER AND OUTDOOR LIGHT

Technical features	
Led numbers	6
Power	**10-30 V DC/AC**
External diameter	110 mm
Height	23 mm + 20 mm cable connector
Protection	**IP68**
Lighting cone	30°, wide and uniform
Consumption	**4 W**
Luminous intensity	800 Lux at 1 m
Endurance	30.000 hours at 25°C

Light colour ○ white	Light colour ● blue
639677	**639678**

SPARE FRAME

Polycarbonate frames for LED lights for surface or recessed mounting.

Mounting	● chromed	○ white
recessed	**639670**	**639671**
wall	**639674**	**639675**

SPACER

Technical features	
External diameter	110 mm
Height	30 mm

639685 Spacer for lights installation (our code 639677 - 678 - 680 - 681) thanks to which the hole for the wire can be avoided.

UNDERWATER 6-LED LIGHT

Very bright 6 LED light **FOR EXCLUSIVE UNDERWATER USE**, very light, stylish and solid thanks to its polycarbonate case. Reduced dimensions to allow a fast installation. With no polarity and protected against tension's peaks. For assemblying it is necessary a single hole for the wire (18 mm) or you can use the spacer (code 639685) thus avoiding to pierce the wall where you want to install the light.
Supplied with two frames for wall and recessed mounting and 2 mt cable.



UNDERWATER LIGHT

Technical features	
Led numbers	6
Power	**10-30 V DC/AC**
External diameter	110 mm
Height	23 mm + 20 mm cable connector
Protection	**IP68**
Lighting cone	10°
Consumption	**6 W**
Luminous intensity	2230 Lux at 1 m
Endurance	30.000 hours at 25°C

Light colour ○ white	Light colour ● blue
639680	**639681**

SPARE FRAME

Polycarbonate frames for LED lights for surface or recessed mounting.

Mounting	● chromed	○ white
recessed	**639670**	**639671**
wall	**639674**	**639675**

SPACER

Technical features	
External diameter	110 mm
Height	30 mm

639685 Spacer for lights installation (our code 639677 - 678 - 680 - 681) thanks to which the hole for the wire can be avoided.

INDOOR RECESSED MOUNTED LIGHTS WITH 24 MICROLEDS

Technical features

Power	12 Volt
Consumption	1,7 Watt
External diameter	65 mm
Recessed diameter	59 - 61 mm
Thickness with ring	11 mm
Flush mount thickness	9,8 mm

Finishing chromed	Finishing aluminium	Finishing golden
639686	639687	639688

45 MIN DURACELL FAST BATTERY CHARGER

Technical features

Dimensions	90 x 70 x 80 mm

641275 45 min DURACELL fast battery charger, smart and compact design. It can charge NiMH AA and AAA batteries. LED charge status Indicator. It charges 2-4 batteries at a time. Included in the package 2 NiMH AA batteries and 2 NiMH AAA batteries.

RECHARGEABLE DURACELL BATTERIES

Duracell re-chargeable batteries are a long-life warranty and can be used hundreds of times.

blister 4 pcs	Model	pack blister
641267	NiMH AA - SIZE	20
641268	NiMH AAA - SIZE	10

OVAL HORN WITH ROUND FLUSH MOUNTING BASE

Technical features

Voltage	12 Volts
Grill dimensions	130 x 85 mm
Recess hole diameter	72 mm
Depth	60 mm
Power	105 dB

627060 Oval electric horn with round flush mounting base. Housing and cover in white ABS, easy to install.

TWO-TONE CITYPOL 115/VFA SIREN
FIRST-AID - EMERGENCY HOMOLOGATED

Technical features

Voltage	**Rated tension 12 Volt** **Rated power 40 Watt** **Middle power 42 Watt** **Middle absorption 3,5 Amp** **Max absorption 5 Amp**
Sound	**dB 117/2m** **Type First aid Italy** **Frequency 392 Hz - 660 Hz** **Transducer 2 x 4 Ω**
Temperature range	- 20 + 40° C
Impermeability	IP68 (1 m per 1 hour)
Weight	1,35 Kg
Dimensions	133 x 98 x 160 mm

627434 Electronic two-tone homologated siren, with sound **FIRST AID-EMERGENCY for rescue means, ambulance, fire department and civil protection**.
To be installed on boats, cars and motorcycles.
It is composed of two trumpets made of plastic white colour with **STAINLESS STEEL** details, the control uniti is installed in one of them. The mounting bracket has anti-vibrating frames, to ensure stability and mechanical insulation.
Homologation DGM*7*0052KSP*02
Homologation 2004/104 e24*72/245*2006/28*1586
Homologation e97/24/III*0108.

ELECTRONIC TWO-TONE NAUTYPOL 115 SIREN
POLICE'S SOUND HOMOLOGATED

Technical features

Voltage	**Rated tension 12 Volt** **Rated power 40 Watt** **Middle power 42 Watt** **Middle absorption 3,5 Amp** **Max absorption 5 Amp**
Sound	**dB 116/2m** **Type Police Italy** **Frequency 466 Hz - 622 Hz** **Transducer 2 x 4 Ω**
Temperature range	- 20 + 40° C
Impermeability	IP68 (1 m per 1 hour)
Weight	1,54 Kg
Dimensions	113 x 96 x 110 mm

627430 Electronic two-tone homologated siren , with **POLICE'S SOUND**. Suitable for installations on boats, cars and motorcycles. It is composed of two trumpets made of plastic black colour with **STAINLESS STEEL** details, in one of them the control unit is installed. The mounting bracket has anti-vibrating frames, to ensure stability and mechanical insulation.
Homologation DGM*7*0027KSP
Homologation 2004/104 e24*72/245*2006/28*1586
Homologation 97/24 e24/9/III*0108.

COMPASS ZENITH BZT

Compass "ZENITH BZT" with horizontal recessed mounting and internal gimbal.
Anti glare screen with built-in compensator, completely demountable in case of repairings.
Suggested for lightweight boats within 9 meters length.
No approvals required for navigation within 6 miles.

Technical features

Reading	Rear and tactical function
Graduation	5°
Card diameter	3" - 80 mm

	Housing colour	Card colour
530135	○ **white**	◐ tactic
530136	● **black**	◐ tactic

COMPASS PEGASUS BP2

Compass model "PEGASUS BP2" recessed mounting internal gimbal.
Completely demountable in case of repairings.
Complete with protective cover and inclinometer.
Upon request SOLAS certificate for rescue boats available.
No approvals required for navigation within 6 miles.

Technical features

Lighting	LED 12 - 24 Volt
Reading	Front - red line
Graduation	5°
Card diameter	4" - 100 mm

	Housing colour	Card colour
530097	○ **white**	○ white
530098	○ **white**	● black
530099	● **black**	○ white
530100	● **black**	● red

"ANTARES 95" SERIES INSTRUMENTS

540195

540243

540249

540205

540161

540183

Instruments "ANTARES 95" series with polished brass housing.

	Instrument	base Ø mm	Ø dial mm	Height mm
540195	barometer	95	70	45
540243	hydrometer	95	70	45
540249	thermometer	95	70	45
540205	clocks	95	70	45
540161	clock with radio sectors	95	70	45
540183	thermo - hydrometer	95	70	45

"ANTARES 150" SERIES INSTRUMENTS

540188

540198

540171

540186

Instruments "ANTARES 150" series with polished brass housing.

	Instrument	base Ø mm	Ø dial mm	Height mm
540188	barometer	150	120	45
540198	clocks	150	120	45
540171	clock with radio sectors	150	120	45
540186	thermo - hydrometer	150	120	45

"PEGASUS 95" SERIES INSTRUMENTS



Instruments "ANTARES 95" series with mirror polished brass housing.

	Instrument	base Ø mm	Ø dial mm	Height mm
540191	barometer	95	70	45
540233	hydrometer	95	70	45
540248	thermometer	95	70	45
540207	clocks	95	70	45
540162	clock with radio sectors	95	70	45
540185	thermo - hydrometer	95	70	45

"PEGASUS 150" SILENT ZONE CLOCK

Technical features

Base diameter	150 mm
Dial diameter	120 mm
Height	45 mm

540172 Silent zone clock, mirror polished brass case.

"POSEIDON 115" SERIES INSTRUMENTS

540192

540241

540246

540210

540178

540193

540235

540251

540211

540179

Instruments "POSEIDON 115" series with brass housing.
Available both with polished brass and chromed brass housing.

Frame POLISHED BRASS	Frame CHROMED BRASS	Instrument	base Ø mm	Ø dial mm	Height mm
540192	540193	barometer	115	95	40
540241	540235	hydrometer	115	95	40
540246	540251	thermometer	115	95	40
540210	540211	clocks	115	95	40
540178	540179	thermo - hydrometer	115	95	40

WATERPROOF COVER FOR IPAD

Technical features	
Impermeability	1 mt (for max 30 min)
Protection class	IPX7
Compatibility	iPad 1,2,3,4 Other Tablets
Table dimensions	243 x 190 x 13 mm

601400 Universal rigid cover for the modern tablets with audio output for earphones. Being waterproof up to 1 meter underwater, it is made to withstand any bad weather. Practical and light, it'll allow you to use your tablet in any situation. The cover allows the complete touchscreen control. The back of the cover is transparent for an easy use of the camera.

WATERPROOF COVER FOR SMARTPHONE

Technical features	
Impermeability	1 mt (for max 30 min)
Protection class	IPX7
Compatibility	Iphone 4, 4S, 5, 5C, 5S (using the standard supplied adaptors) Samsung Galaxy S3/S4 Android
Smartphone dimensions	137 x 71 x 9 mm
For pipe diameter	from 20 mm to 40 mm

601405 Waterproof and rigid cover equipped both with suction cup and with clamp fittings for pulpits and handrail mounting. It has a special opening for camera and you can use the full touch function easily. Practical, light with earpiece output, it's ideal for protecting your smartphone in any situation against bad weather.

WATERPROOF COVER FOR IPHONE

Technical features	
Impermeability	1 mt (for max 30 min)
Protection class	IPX7
Compatibility	Iphone 3, 3G, 4, 4S, 5, 5C, 5S
Housing dimensions	130 x 60 x 12 mm
For pipe diameter	from 20 mm to 40 mm

601410 Waterproof and rigid cover for all Iphones on the market, equipped both with suction cup and with clamp fittings for pulpits and handrail mounting. It has a special opening for camera and you can use the full touch function easily. Practical, light with earpiece output, it's ideal for protecting your smartphone in any situation against bad weather.

WATERPROOF COVER FOR SMARTPHONE

Technical features	
Impermeability	6 mt
Protection class	IPX8
Compatibility	Iphone 3, 3G, 4, 4S, 5, 5C, 5S Samsung Galaxy Note, I, II 5.5 LCD Android all Blackberry models
Housing dimensions	115 x 90 x 10 mm

601415 Universal cover for the modern smartphones and mp3 readers with audio output for earphones. Being **waterproof up to 6 meters** underwater, it's made to withstand any bad weather. Practical and light, it'll allow you to use your smartphone in any situation.
The cover is soft and completely allow the full control of the touchscreen function.
Supplied with adjustable neck strap and earphones set.

GME S6+ HIGH PERFORMANCE LOUDSPEAKERS

3-YEAR WARRANTY

Technical features	
Power	140 Watt
External diameter	188 mm
Hole diameter	145 mm
Depth	65 mm

629070 GME S6+ HIGH PERFORMANCE 2-way marine loudspeakers recessed mounting for external use.
ABS construction in compliance with ASTM B117-03 standards for saltiness protection and with ASTM G154 standards for UV protection.
High performing tweeter in Teteron.
Supplied in pair complete with screws and cables for mounting.

GME LOUDSPEAKERS

3-YEAR WARRANTY

GME marine 2-way loudspeakers recessed mounting fpr external use.
Made of ABS in compliance with ASTM B117-03 standards for saltiness protection and ASTM G154 standards for UV rays protection.
Supplied in pairs complete with screws and wires for mounting.

	Model	Power W	external Ø mm	hole Ø mm	Depth mm
629073	S5	110	163	123	55
629074	S6	140	185	145	65

FASTFIT AM - FM ANTENNA

QUICK INSTALLATION OF ANTENNAS FOR BOATS

The antenna **AM - FM** FASTFIT has been thought to make the installators job easier and for a rapid boat storage at the end of the season: the quick release connector already installed on the base avoids the pulling out of the cable, making the mounting and demounting operations faster, thus extending the cable's and the antenna's life.
The FME pre-assembled connector allows the cable to pass: simply screwing the adaptor the connection is done.
Supplied with PL standard adaptor.

FASTFIT AM - FM ANTENNA

Technical features	
Length	150 cm
Material	Fiberglass
Frequency	1,6 / 88 - 108 MHz
Weight	300 g

629163 **AM - FM** FASTFIT Antenna.

BASES FOR FASTFIT ANTENNAS

Adjustable bases for exclusive use with FASTFIT antennas.
Complete with 6,6 mt coaxial cable RG58 and fastfit connector PL.

Base made of chromed brass	Base made of nylon
629166	**629165**

FASTFIT VHF ANTENNA
QUICK INSTALLATION OF ANTENNAS FOR BOATS

The FASTFIT antennas series has been thought to make the installators job easier and for a rapid boat storage at the end of the season: the quick release connector already installed on the base avoids the pulling out of the cable, making the mounting and demounting operations faster, thus extending the cable's and the antenna's life.
The FME pre-assembled connector allows the cable to pass: simply screwing the adaptor the connection is done.
Supplied with PL standard adaptor.

FASTFIT VHF ANTENNA

Technical features

Material	Fiberglass
Frequency	156 - 162 MHz
Maximum input	25 Watt
non tradotto	50 ohms

	Model	Length cm	Gain dB	Weight g
629160	VHF FASTFIT 150 Antenna	150	3	300
629161	VHF FASTFIT 250 Antenna	250	6	600

BASES FOR FASTFIT ANTENNAS

Adjustable bases for exclusive use with FASTFIT antennas.
Complete with 6,6 mt coaxial cable RG58 and fastfit connector PL.

Base made of chromed brass	Base made of nylon
629166	**629165**

FASTFIT CB ANTENNA
QUICK INSTALLATION OF ANTENNAS FOR BOATS

The antenna **CB** FASTFIT has been thought to make the installators job easier and for a rapid boat storage at the end of the season: the quick release connector already installed on the base avoids the pulling out of the cable, making the mounting and demounting operations faster, thus extending the cable's and the antenna's life.
The FME pre-assembled connector allows the cable to pass: simply screwing the adaptor the connection is done.
Supplied with PL standard adaptor.

FASTFIT CB ANTENNA

Technical features

Length	150 cm
Material	Fiberglass
Frequency	26 - 29 MHz Turn.
Maximum input	25 Watt
non tradotto	50 ohms
Weight	300 g

629162 **CB** FASTFIT adaptor.

BASES FOR FASTFIT ANTENNAS

Adjustable bases for exclusive use with FASTFIT antennas.
Complete with 6,6 mt coaxial cable RG58 and fastfit connector PL.

Base made of chromed brass	Base made of nylon
629166	**629165**

ASHTRAY

Bag - shaped **STAINLESS STEEL** ashtray, leatherette or artificial suede.

Technical Features

Diameter	115 mm

Material	navy blue	yellow	camel	red - white	flags insterts
STAINLESS STEEL leatherette	601212	601214	-	-	-
STAINLESS STEEL artificial suede	-	-	601216	-	-
STAINLESS STEEL imitation leather	-	-	-	601215	601217

GLASS AND CAN HOLDER

Technical Features

External diameter	94 mm
Internal diameter	86 mm
Height	104 mm
Fastening bracket	48 x 27 mm

601205 Glass, Cans or PVC bottles holder white colour. Wall mounting, oscillating and removable.

LEISURE LIFE RAFT BEYOND 12 MILES "GRAB BAG"

Life raft with no limits of use, in compliance with ISO 9650. Recognised as equivalent to D.M. 2192002 of 12 August 2014 art. 2 part 2, issued by the Italian Department of Infrastructures and Transport - General Port Authority - Rome.
It is available either in a soft case or in a rigid container.
This innovative life raft with "Grab Bag" a part, thanks to its mininal overall dimensions allows larger stowage space, and a light weight for an easier movement.
TWO-YEAR SERVICE.

FIBERGLASS CONTAINER

	N. of persons	Life raft weight Kg	Life raft Dimensions L x P x H cm	Grab Bag weight Kg	Grab Bag Dimensions L x P cm
500414	4	32	75 x 39 x 32	9,5	45 x 32
500416	6	38	71 x 34 x 41	13	45 x 32
500418	8	44	73 x 35 x 43	16	50 x 32
500420	10	48	75 x 44 x 37	19	55 x 32
500422	12	61	85 x 60 x 31	22	55 x 32

SOFT CONTAINER

	N. of persons	Life raft weight Kg	Life raft Dimensions L x P x H cm	Grab Bag weight Kg	Dimensions Grab Bag L x P cm
500434	4	35	68 x 41 x 30	9,5	45 x 32
500436	6	41	74 x 47 x 29	13	45 x 32
500438	8	47	74 x 47 x 31	16	50 x 32
500440	10	52	75 x 49 x 33	19	55 x 32

MIRROR SIGNAL HELIOGRAPH

Mirror signal heliograph made of chromed plastic with multilingual instructions.

Technical features

Diameter	85 mm

	Instruction's language
497170	ITALIAN
497171	FRENCH
497172	ENGLISH
497173	SPANISH



FIRE-RESISTANT RING

Technical features

External diameter	67 mm
Hole diameter	50 mm

500362 Fire-resistant ring made of plastic material, mounted on the engine compartment's door, in case of fire, the rings allows you to use the fire extinguisher without opening the compartment.
Supplied with instructions label.

FIRE EXTINGUISHER REMOTE CONTROL BOX

Technical features

External dimensions	100x105 mm
Depth	70 mm

500363 White ABS case for flexible remote control for fire extinguisher's activation.

TELESCOPIC FLAG POLE

Technical features

non tradotto	63 cm
Length opened	116 cm

642090 Telescopic removable flagpole made of anodised aluminium with **STAINLESS STEEL** bracket.

MARINE WOOD FLAG POLE

Flag pole made of varnished marine wood with connector.

Product's features

For bases diameter	16 - 18 - 25 mm

	Length cm
642135	45
642136	60
642137	75

SUPERWINCH LT 2000 ELECTRIC WINCH

SUPERWINCH LT2000 electric winch, compact and powerful, suitable for boats, tenders, jetskis towing, loading cars, agricultural machines on trailers and trucks.
Before use read carefully the instructions included in the box.
The below stated loads are approximate because they depend on the numbers of turns of the cable on the drum and on the load's pendence.

Technical features

Rated line pull flat surface	907 Kg - 2000 lb
Max line pull speed	454 Kg 2 mt/min - 907 Kg 0,8 mt/m
Engine power	1 HP (0,8 kW)
Voltage	12 V DC
Gear	Forward, reverse and neutral
Weight (with cable)	6,6 Kg
Dimensions	285 x 105 x 105h mm
Cable dimensions	Ø 4 mm for 15 mt

750600 SUPERWINCH LT2000 electric winch complete with 15 mts cable with safety hook and remote control with 9 mts cable.

"TERRA" SERIES SUPERWINCH ELECTRIC WINCH

SUPERWINCH "TERRA" series electric winch, compact and powerful, suitable for boats , tenders, jetskis towing, loading cars, agricultural machines on trailers and trucks.
Before use read carefully the instructions included in the box.
The above stated loads are approximate because they depend on the numbers of turns of the cable on the drum and on the load's pendence.
The winch is supplied with 15 mt cable with safety hook and remote control with 9 mts cable.

Technical features

Engine power	1.6 HP - 1,2 kW
Voltage	12 V DC
Gear	Forward, reverse and neutral

	Model	Rated line pull flat surface Kg - lb	Max line pull speed Kg - mt/min	Weight (with cable) Kg	Ø cable mm	Cable length m	Dimensions mm
750604	TERRA 35	1588 - 3500	454 - 5,3 907 - 4,2 1588 - 2,8	9,07	5,5	15	343 x 114 x 122h
750606	TERRA 45	2041 - 4500	454 - 4 907 - 3,4 1588 - 2,3 2041 - 1,7	9,98	6,5	15	384 x 114 x 122 h

"S" SERIES SUPERWINCH ELECTRIC WINCH

SUPERWINCH "S" series electric winch, compact and powerful, suitable for boats , tenders, jetskis towing, loading cars, agricultural machines on trailers and trucks.
Before use read carefully the instructions included in the box.
The above stated loads are approximate because they depend on the numbers of turns of the cable on the drum and on the load's pendence.
The winch is supplied with cable with safety hook and remote control with 9 mts cable.

Technical features

Gear	Forward, reverse and neutral

	Model	Rated line pull flat surface Kg - lb	Volts	Max line pull speed Kg - mt/min	Engine power HP - kW	Ø cable mm	Cable length m	Weight Kg	Dimensions mm
750607	S 3000	1361 - 300	12	454 - 4,8 907 - 3,8 1588 - 1,9 1814 - 1,4	1.3 - 0,96	4,8	15,2	12,79	323 x 111 x 114h
750608	S 4000	1814 - 4000	12	454 - 4,9 907 - 3,8 1588 - 1,9 1814 - 1,4	1.8 - 1.34	5,6	18,2	13,80	383 x 221 x 152h
750614	S 4000	1814 - 4000	24	454 - 4,8 907 - 3,8 1588 - 1,9 1814 - 1,4	1.8 - 1.34	5,6	18,2	13,80	383 x 221 x 152h
750610	S 5000	2268 - 5000	12	454 - 4,4 907 - 3,7 1814 - 2,2 2268 - 1,4	2.1 - 1.57	6,4	15,2	14,51	383 x 221 x 152h

"SOFT PU" WHEEL MADE OF UNPIERCEABLE POLYURETHANE

Unpierceable polyurethane wheel with nylon rim, elastic and light like a pneumatic tyre.

	Size	Ø wheel mm	hole Ø mm
096344	300/4"	260 x 85	20
096348	350/8"	350 x 80	25
096350	400/8"	400 x 100	25

JOCKEY'S WHEEL FOR HEAVY LOADS

Technical features

Pipe diameter	60 mm
Wheel diameter	200 x 55 mm
Jockey wheel's height	650 mm
Plate dimensions	140x80 mm

750840 Jockey's wheel for trailers and caravans with retractable wheel and telescopic shaft, through revolving handle.
Complete with pierced plate for fixing and rubber wheel with **STAINLESS STEEL** rim.
Recommended for heavy loads.

ANTI-THEFT DEVICE FOR TRAILER COUPLING HEAD

750213 Anti-theft cylinder lock with 2 keys for trailers and caravans couplings.
It prevents the trailer from illicit coupling and uncoupling and the theft of the ball's coupling. It can remain mounted during the trip and it's an additional safety against the accidental uncoupling.

QUICK RELEASE PINS TYPE R

STAINLESS STEEL AISI 316 quick release pins R type.

Dimensions mm	10 pcs.	2 pcs blister
2 x 48	**127232**	**127232B**
3 x 70	**127233**	**127233B**
4 x 76	**127234**	**127234B**
5 x 100	**127235**	**127235B**
6 x 125	**127236**	**127236B**



DEPTH SOUNDER

Technical features	
Rope's length	50 m
Coloured inserts	10 every 10 mt
Plumb weight	600 g

497160 Depth sounder useful in case of emergency situations. Complete with handle for an easier use, nylon rope with coloured marks and lead sounder.

FISH STRINGER

646140 Fish stringer complete with snap hook and **STAINLESS STEEL** pin.



SCUBA DIVING WEIGHT BELT

Technical features	
Belt's length	140 cm
Belt's height	50 mm

648000 Scuba diving weight belt with **STAINLESS STEEL** buckle.

FLUSH-MOUNT FISHING ROD HOLDER

FISHING ROD HOLDER

Technical Features	
Internal diameter	50 mm
Total length	230 mm

142250 **STAINLESS STEEL** universal flush mount rod holder.

RUBBER PLUG

142240 Rubber plug for flush mount rod holders.

BUSHING

142251 Protective bushing with cover, to be insterted inside the rod holder for a better protection.

FLUSH-MOUNT FISHING ROD HOLDER

Flush mount ABS rod holder with rubber cap.

Technical features	
Internal diameter	40 mm
External diameter	48 mm
Superior base	84x106 mm
Total length	245 mm

● black	○ white
142257	**142258**

STAINLESS STEEL WALL MOUNTED ROD HOLDER

Technical features

Internal diameter	45 mm
Total length	235 mm
Fastening bracket	120 x 17 mm

142288 **STAINLESS STEEL AISI 316** wall mounted rod holder complete with 2 mounting brackets.

"TORPEDO" DIVING KNIFE

Knife with **STAINLESS STEEL** blade with saw and hammer. Polypropylene grip. Complete with PP sheat and thermo rubber straps and plastic buckles.

	Model	Blade length mm	Total length mm	Colour grip
648010	"TORPEDO 9"	90	210	black
648011	"TORPEDO 11"	115	230	yellow - black

FLOATING KNIFE FOR LIFE RAFT

Technical features

Total length	185 mm
Blade length	70 mm
Weight	45 g

648236 Floating knife for liferaft with folding **STAINLESS STEEL** blade and foam grip.

QUICKSILVER SYNTHETIC OIL FOR OUTBOARD, INBOARD AND STERNDRIVE ENGINES 4 STROKE

Expressly created for 4-stroke engines, for better performances, reliability and long terms functioning.
New formula that guarantees high performing levels against corrosion and excellent lubricant properties.
Strongly recommended for outboards, inboards and sterndrives injection 4 stroke and VERADO engines.
SAE 25 W-40.

	lt.	pieces
439776	1	6
439777	4	3

WD-40 PROFESSIONAL SYSTEM

WD-40 new model, designed for professional use. With this new 2-position spraying system it becomes much more handy and easier to use. The new valve is supplied with an adjustable applicator: you would only need to lower it down to spray the product and to raise it up to be more precise when using it.

	ml	pieces
440250	250	30
440256	500	6

WD-40 SILICONE LUBRICANT CLEAN APPLICATION

WD-40 Specialist® silicone lubricant does not attract dirt and it has excellent lubricant properties to ensure the perfect movements of the lubricated parts. It dryes fast and isolates from humidity. Its formula is compatible with metal, plastic, rubber and wood. Avoids frictions and obstructions of the moving parts even in case of heavy pressions.

RECOMMENDED FOR:

- **Belts**
- **Gaskets**
- **Tools**
- **Guide rails**
- **Valves**
- **Doors**
- **Hinges**
- **Winches**
- **Pulleys**

440267 WD-40 Silicon Lubricant 400 ml. Clean Application. Packing 12 pcs.

WD-40 EXTRA-PENETRATING FAST ACTING

WD-40 Extra-Penetrating Specialist® with its deep penetrating action breaks the bonds that hold stuck parts together. Its formula is suitable also in case of oxidation and seizes. It's water resistant and it can be used on all metals and on the most part of varnished surfaces.

RECOMMENDED FOR:

- **Nuts**
- **Bolts**
- **Locks**
- **Chains**
- **Seegers**
- **Hinges**
- **Pulleys**
- **Pipelines**
- **Conveyor Belts**
- **Axles**
- **Tools**
- **Sprockets**

440269 WD-40 Extra-Penetrating Fast Acting 400 ml. Packing 12 pcs.

WD-40 WHITE LITHIUM GREASE

WD-40 white lithium grease Specialist®, with its thick formula, provides a long lasting lubrication. It doesn't run off and it grips the treated surface. It reduces the friction coefficient and makes the movement of the metallic parts easier. It can be used on heavy loads mechanisms, both inside and outside.

RECOMMENDED FOR:

- **Gears**
- **Seegers**
- **Winches**
- **Latches**
- **Pistons**
- **Sprockets**
- **Door tracks**
- **Cables**
- **Guide rails**
- **Pumps**
- **Brakes mechanisms**
- **Pinions**
- **Door hinges**
- **Hinges**

440271 WD-40 White Lithium Grease 400 ml. Packing 12 pcs.

WD-40 DEGREASER IMMEDIATE EFFICIENCY

WD-40 Degreaser Fast Acting Specialist®, with its solvent based formula, removes grease, oil and dirt without leaving any residual. It acts immediately. It can be used on many surfaces, including floors and those of metals.

RECOMMENDED FOR:

- **Engines**
- **Rims**
- **Tools**
- **Working surfaces**
- **Nautic equipment**
- **Forklifts**
- **Extractor fans**
- **Presses**
- **Floors**
- **Industrial machinery**

440273 WD-40 Fast Acting Degreaser 500 ml. Packing 12 pcs.

UNICO

POWDER DETERGENT FOR FIBERGLASS

Heavy-duty powder cleaner for fiberglass boats; ideal to clean teak and to turn it white. Non-scratching formula removes dirt and stubborn stains, yellowing, scum line, black streaks, leaving any surface clean and shiny. Not corrosive, it doesn't discolour and doesn't stain; removes rust stains from any surfaces. Polishes and protects boat handrails, boat stanchions and any kind of marine metals.

431021 Single 1 lt.
Packing 15 pcs.

MILDEW STOP

MOULD ELIMINATOR

Stop Mold is a detergent-based concentrate that removes chlorine, fights and prevents the formation and growth of mold, algae and mosses, in a radical way and in a few minutes, both indoors and outdoors.
It's ready to use and is applied by spraying the entire surface to be treated moldy.

440540 The Mildew Stop 250 ml.
Packing 12 pcs.

GRILL STOP

DETERGENT FOR GRILLS AND BARBECUES CLEANING

Detergent composed of alkaline salts that allow a radical cleaning of barbecues and accessories, thus avoiding bad smells, mildews, bacteria that could grow on deposits of greases during long periods of non-use.
Apply it straight on the most difficult spots, while for small spots and for the ordinary unkeeping apply it watered down, according to the type of incrustations. This product does not release bad smells.
Do not use it on aluminium, alloys and varnished parts.

430965 Grill Stop 500 ml.
Packing 12 pcs.

LABELS - SILICON REMOVER

LABELS AND SILICON SPRAY REMOVER

It removes adhesive lables from any surface. Suggested also for removing old adhesive tapes.

450620 Labels-Silicone remover 400 ml.
Packing 12 pcs.

SILICON SPRAY

SEALANT

Waterproofing hydrophobic product, it creates a transparent adherent film, metals do not get wet, avoids contact with the atmosphere, prevents from oxidation, and from electrical dispersion.

440357 Silicone spray 400 ml.
Packing 12 pcs.

98% ZINC

ZINC SPRAY

Zinc spray allows, without any particular special tool, a real process of cold galvanizing. It grants a good protection against corrosion and oxidation for a long time. Its technically balanced formula grants a drying without polishing with the possibility to coat it with varnishes and enamels.

440128 Zinc 98% spray 400 ml.
Packing 12 pcs.

TRANSPARENT TAPE

Technical features	
Width	5 cm
Length	66 m

461180 High quality transparent tape for packages. Silent.
Packing 36 pcs.

WHITE TAPE

Technical features	
Width	5 cm
Length	66 m

461183 White tape for packages of high quality. Silent.
Packing 36 pcs.

AVANA TAPE

Technical features	
Width	5 cm
Length	66 m

461185 Avana colour tape for packages of high quality. Silent.
Packing 36 pcs.



PACKING TAPE DISPENSER HOLDER

461176 Packing tape dispenser holder, to make the application of the adhesive tape easier.

"BLU TECH" TAP CONNECTOR

595245 Threaded 3/4" F tap fitting and threaded adaptor 3/4" M - 1/2" F, with connector.

"BLU TECH" WASHING GUN

595197 Professional washing gun made of plastic, 3-function adjustable jet with automatic fitting.
Highly resistant rubber grip.
Single rack display packaging.

"BLU TECH" WASHING GUN

595210 Adjustable hose nozzle, made of plastic material, with connector.

"BLU TECH" FAST CONNECTOR

Quick release connector with hose clamp.

	For hoses from
595260	1/2" - 5/8"
595262	3/4"

MICRON EXTRA EU

SEASON LONG PERFORMING "PREMIUM" ANTIFOULING - SELF POLISHING MULTIPURPOSE

Micron Extra EU is a high strength polishing antifouling that provides 2 seasons protection from just 3-4 coats applications.

Formulated with Biolux® Technology for controlled optimised biocide release, it offers 24 months of protection with one single coat.

Micron Extra EU is extremely efficient in difficult fouling conditions.
Its polishing technology avoids the build up of thickness over time.
Can be applied up to 12 months before launch.

HOW AND WHEN TO USE MICRON EXTRA EU

Compatibility	GRP, wood, steel/iron, lead. **Not suitable for use on aluminium, light alloys and galvanised surfaces.**
Application	Spray, airmix, brush and roll
Number of coatings	2 coats on hull and three on the waterline, rudder and keel. For a 2 seasons protection, apply 3 coats and a fourth one on the leading and trailing edges, waterline, rudder and keel.
Pratical coverage	9 m²/lt with brush, 3 m²/lt with spray
Launch	The boat can be left out of the water after application of the antifouling for up to 12 months before launching.

HULL'S MATERIAL	**TREATMENT**
Bare Grp	GELSHIELD 200 for anti-osmosis protection or PRIMOCON
Steel/lead/iron/wood	Use INTERPROTECT or PRIMOCON primer.

EXISTING ANTIFOULING	**TREATMENT**
In good conditions	Wash with water and leave it dry. With unkown and incompatible antifouling, use PRIMOCON.
In bad conditions	Remove the antifouling with INTERSTRIP.

MICRON EXTRA EU ANTIFOULING

white	black	sky blue	dark blue	red		pieces
477251	**477252**	**477253**	**477254**	**477255**	750 ml	6
477262	**477263**	**477264**	**477265**	**477266**	2,5 lt	2

PRIMER

	Item		pieces
477400	Primocon	2,5 lt	2
477401	Primocon	750 ml	6
477421	Interprotect	750 ml	6

THINNER

Thinning not recommended.

	Item	lt	pieces
477353	Thinner n. 3	1	6

OTHER PRODUCTS

	Item		Colour	pieces
477360	Interstrip paint stripper	1 lt	-	6
477751	Gelshield 200 anti-osmosis	750 ml	grey	6
477761	Gelshield 200 anti-osmosis	750 ml	green	6

BOATGUARD EU
STANDARD ANTIFOULING WITH SEASONAL PROTECTION

Boatguard EU is a traditional antifouling designed to provide good protection in moderate fouling challenges.
It offers good performance in salt water, suitable for use in fresh and brackish waters.

HOW AND WHEN TO USE BOATGUARD EU

Compatibility	GRP, wood, steel/iron, lead. **Not compatible with VC 17 m cycles.** **Not suitable for use on aluminium, light alloys and galvanised surfaces.**
Application	Airless spray, brush and roll
Number of coatings	Apply 2 coats every season and 2 coats are recommended for leading and trailing edges, waterline, rudder and keel.
Pratical coverage	9 m²/lt with brush, 3 m²/lt with spray
Launch	Possibility to apply the product and launch the boat within 3 months.

HULL'S MATERIAL	**TREATMENT**
Bare Grp	GELSHIELD 200 for anti-osmosis protection or PRIMOCON
Steel/lead/iron/wood	Use INTERPROTECT or PRIMOCON primer.

EXISTING ANTIFOULING	**TREATMENT**
In good conditions	Wash with water and leave it dry. With unkown and incompatible antifouling, use PRIMOCON.
In bad conditions	Remove the antifouling with INTERSTRIP.

BOATGUARD EU ANTIFOULING

white	black	sky blue	dark blue	red		pieces
477100	**477101**	**477102**	**477103**	**477104**	750 ml	6
477105	**477106**	**477107**	**477108**	**477109**	2,5 lt	2

PRIMER

	Item		pieces
477400	Primocon	2,5 lt	2
477401	Primocon	750 ml	6
477421	Interprotect	750 ml	6

THINNER

Thinning not recommended.

	Item	lt	pieces
477353	Thinner n. 3	1	6

OTHER PRODUCTS

	Item		Colour	pieces
477360	Interstrip paint stripper	1 lt	-	6
477751	Gelshield 200 anti-osmosis	750 ml	**grey**	6
477761	Gelshield 200 anti-osmosis	750 ml	**green**	6

MARE NOSTRUM SP

SELF-POLISHING ANTIFOULING

SELF POLISHING ANTIFOULING based on special blinders, ensures an active surface and the best performances.
Recommended for all types of boats, providing good results.
For aluminium hulls the white colour is suggested (with no copper oxide our codes 497431 - 497432).

HOW AND WHEN TO USE CUTTER

Compatibility	FIBERGLASS, wood and metal. **Aluminium only in white colour**
Application	Brush, roller and conventional and airless spray
Theoric coverage	10 m²/lt
Pratical coverage	7 m²/lt
Drying with temperature at 23°	touch dry 3 hours
Complete drying	12 hours
Re-coating time at 23°	minimum 8 hours
Launch time	minimum 24 hours - maximum 9 months if the boat is covered or protected in a covered space

MARE NOSTRUM ANTIFOULING

white	red	black	dark blue		pieces
497431	**497435**	**497441**	**497445**	750 ml	6
497432	**497437**	**497442**	**497447**	2,5 lt	2

PRIMER

	Item		Colour	pieces
497601	Antipest	750 ml	grey	6
497602	Antipest	2,5 lt	grey	2
497608	Vinyl Primer	750 ml	aluminium	6
497609	Vinyl Primer	2,5 lt	aluminium	2

THINNER

	Item	lt	pieces
497721	Thinner N. 7	1	6
497723	Thinner N. 7	5	2

AQUALINE OPTIMA SPRAY

SELF-CLEANING SPRAY ANTIFOULING

New generation self-polishing antifouling spray for an easy application on propellers, flaps and other light alloy parts below the waterline.

HOW AND WHEN TO USE AQUALINE OPTIMA SPRAY

Compatibility	Light alloys and **STAINLESS STEEL**
Application	Spray
Drying with temperature at 23°	touch dry 30 minutes
Complete drying	3 hours
Re-coating time at 23°	minimum 20 minutes

AQUALINE OPTIMA SPRAY ANTIFOULING

black	grey	ml	pieces
497540	**497543**	400	12

PRIMER

	Item	ml	Colour	pieces
497606	Vimyl primer spray	400	aluminium grey	6

THINNER

	Item	lt.	pieces
497721	Thinner n. 7	1	6
497723	Thinner n. 7	5	2

VINYL PRIMER

ANTI-CORROSIVE PRIMER FOR HULL

Single pack modified vinyl based primer, quick drying, pigmented with lamellar aluminium pigments for a stronger corrosion resistance.
Excellent sealer for previously applied antifoulings in good conditions.
It grants a perfect adhesion to antifouling and to monocomponent paints.
It can be used as primer on steel and wood in monocomponent systems.

HOW AND WHEN TO USE VINYL PRIMER

Application	paint brush, roller conventional spray and airless
Theoric coverage	5 m²/lt
Pratical coverage	3,5 m²/lt
Drying with temperature at 23°	touch dry 15 minutes
Complete drying	2 hours
Re-coating time at 23°	minimum 2 hours

VINYL PRIMER

grey aluminium		pieces
497608	750 ml	6
497609	2,5 lt	2

THINNER

	Item	lt	pieces
497721	Thinner N. 7	1	6
497723	Thinner N. 7	5	2

VINYL PRIMER SPRAY

ANTI-CORROSIVE PRIMER FOR HULL

One component physically drying vinyl sealer/primer. It is fast drying, Pigmented with a high content of aluminium flakes giving good corrosion protection.
To be used on sterndrives, flaps, outboards, propellers, stering wheel and other parts made of light metal. To be used on surfaces to be coated with Aqualine Optima spray antifouling (our codes 497540 - 497543).

VINYL PRIMER SPRAY

497606	Vinyl Primer Spray, aluminium grey colour 400 ml. Packing 12 pcs.

THINNER

	Item	lt	pieces
497721	Thinner N. 7	1	6
497723	Thinner N. 7	5	2

EPOXY REPAIR
TWO-COMPONENT EPOXY FILLER

Two component epoxy filler, high density, without solvent and fast drying.
Suggested for small repairs or damages on the hull before primer application.
Used to fill holes it's easy to sand providing a smooth surface.
Recommended for any zone of the boat and for any substratum.
After repairing and sanding it needs to be recoated with an epoxy coating.

HOW AND WHEN TO USE EPOXY REPAIR

Application	Spatula
Chart	after 1 hour
Complete drying at 23°	4 hours
Re-coating time at 23°	minimum 2 hours

EPOXY REPAIR FILLER

497630 Epoxy Repair A+B, light green colour 0,5 lt.
Packing 6 pcs.

THINNER

Thinner to be used for cleaning only, **do not add any solvent to Jotun sealants**.

	Item	lt.	pieces
497731	Thinner N. 17	1	6
497733	Thinner N. 17	5	2

SKIPPER'S EPOFOND AM-9
EPOXY BICOMPONENT PRIMER

Epoxy bicomponent primer satin effect studied for direct application on propellers, sterndrives, axis, metal, wood, aluminium (to use for application of Skipper's Serenissima stc white antifouling our codes 478671 - 672), light alloys and cement; it can be overcoated with chlorinated,acrilyc or polyurethane coatings, providing strong adhesion base for the further applications.
Suitable also for floors, oil tanks, naphtha, kerosene or soda solutions.

HOW AND WHEN TO USE EPOFOND AM-9

Application	Brush, roller and spray
Overpainting	12 - 24 hours
Theoric coverage	8-9 m²/lt

PRIMER

	Item	ml	pieces
478925	Epofond AM-9	0,675 + 0,075	6

THINNER

	Item	lt	pieces
478983	Thinner 765	1	6

1) GENERAL TERMS OF SALE
The general terms of sales can be modified or updated by G.F.N. due to new laws and regulations.

2) DESCRIPTIVE AND ILLUSTRATIVE PRODUCTS DESCRIPTIONS
The colours, images, descriptive information and technical features of the products included in this catalogue and website, are not part of the contract, but have only indicative value and cannot be binding for eventual claims.
G.F.N. reserves the right to make any change, at any time, to the products and to their technical features with the purpose to improve the production.
The possible publishing and use of photographic material of G.F.N.'s property must be authorised exclusively through a letter signed by the management.

3) ORDERS
The customer, sending the order, hereby implicitly accept these terms of sale, and knows the characteristics, the proper use of the required products.

To avoid misunderstandings, we recommend the customers to send written orders specifying:

1. Product code
2. Product description
3. Quantity

The terms proposed by our agents and representatives are subject to our approval.
Agreements and arrangements with agents, brokers, and, generally, with GFN's staff, have value only of negotiations except seller's approval. GFN cannot be considered bound to what is included in the order's form if the same is not signed by the person entitled by the company. Subscriptions, signatures or initials of persons not entitled can only attest the terms of the proposals.
Orders will be dispatched according to the availability of the moment, eventual backorder will be sent, unless otherwise ordered, as soon as possible, carriage forward or together with a new order according to the current price list.

Orders below € 100,00 net of any discounts VAT and fees, will be charged with fixed operating cost € 10,00.
All orders below € 100,00 net will be dispatched cash on delivery.

4) PRICES
Prices submitted by G.F.N. are the current ones at the moment of the order and can be updated until the moment of the shipment. They are intended to be net of taxes, extra fees (transport costs – package costs – insurance costs), custom duty and other financial costs. They are not binding and are communicated as informating purpose.

5) PACKING
The packing is charged at cost.

6) DELIVERY AND SHIPMENT TERMS
Goods are sold ex works delivery our warehouse in Campodarsego.
Goods travel at the Purchaser's risk who at the moment of shipment, assumes all risks relating to the goods sold.
Delivery terms are based on production and sale programs of the Seller and, therefore, are intended to be always indicative and never binding. The possible failure to meet the delivery deadlines will never be responsibility of the Seller, and won't give the right to the Purchaser to delay and/or suspend payments or ask for any compensation for damages.
The Purchase quits every demand of essentiality of the delivery term.
All the shipments, in Italy by truck, if sent with our transport companies, are warranted by G.F.N., against risks of lost, damages, etc. To make this valid, at the moment of the receipt of the goods in case of missing, damaged, or opened items, the acceptance must be done "WITH RESERVE". After verification of the damage, the purchaser must notify the same, within 3 (THREE) days from receipt, enclosing copy of the signed document. The non-observance of the above instructions will cause the forfeiture of the right.
In case of shipment done by a transport company chosen by the Purchaser, goods travel at consignee's risk and in case of claims those must be done by the customer to his own forwarder.
G.F.N. has however the right not to fulfil the order, athough it has been confirmed, if the Purchaser is insolvent in relation to other deliveries or towards other suppliers or in case he can no more offer financial guarantees.

7) PAYMENTS
Only in advance through bank transfer. Other different payment methods, subsequent to the first one, must be authorized and agreed through written agreement.
In case of unpaid invoices or delayed payment default interests shall be charged since the day of default until the day of effective payment according to the rate stated by the Legislative Decree 231 of 09/10/2002.
Banks:

CASSA DI RISPARMIO DEL VENETO
Via Antoniana, 220/D - 35011 CAMPODARSEGO (PD)
IBAN: **IT 57 S 06225 62420 07400969760A**
Codice BIC - SWIFT: IBSPIT2P275

UNICREDIT
Via Caltana, 4 - 35011 CAMPODARSEGO (PD)
IBAN: **IT 96 Y 02008 62420 000040248744**
Codice BIC - SWIFT: UNCRITM1S35

BANCA PADOVANA CREDITO COOPERATIVO S.C.
Via Caltana, 7 - 35011 CAMPODARSEGO (PD)
IBAN: **IT 86 N 08429 62420 001010008305**
Codice BIC - SWIFT: PDCCIT2PXXX

8) PROPERTY RIGHTS
In any case of instalment payment, the sale is done at G.F.N.'s property right until the last instalment of the price has been paid in accordance with clauses 1523 and further amendments;
the Purchaser, however, has to bear the risks from the time of goods delivery.
In case of non-payment of one instalment whose amount exceeds the eighth part of the full price, in other words of two instalments of any amount, the agreement is intended to be automatically cancelled because of Purchaser's non - fulfilment, with the right to receive immediately the goods back, with further compensation in case of damages and claims. Until the total amount is paid, therefore, the purchaser cannot transfer the goods, without the seller's confirmation, otherwise the agreement will be cancelled with the same consequences as above explained.
In case the goods are subject to foreclosure or other legal actions by third parties, the purchaser has to inform the seller immediately, for his rights protection.

9) SAMPLES
The samples of goods are always debited.

10) RETURN OF PRODUCT
Possible return of products have to be previously authorized by G.F.N.: the request must be submitted in writing by means of the special form (that can be downloaded from the reserved area of our web site) and have to include in detail the noticed defect as well as all relevant information contained in the purchase invoice.
If the return request is accepted, GFN will give a RMA number: this number must be written down on the delivery note. **Otherwise the return of products will be rejected.**
The return must be done within one month from the RMA receipt, carriage paid delivery. **The returned products must be sent in their original packing, have not to have been used or damaged.** As refund 10% of the goods value (min.€ 5,00) will be charged, and possible extra fees can be added in case of product's restoring.
Claims are not accepted after 8 days from the delivery date, moreover they have to be done only in case of real defects of the products. **For this reason we strongly recommend our customer not to replace goods to final users without our authorization.**

11) JURISDICTION AND APPLICABLE LAW
For any controversy the qualified Court is that of Padova and the buyer-seller relationship shall be exclusively regulated by the Italian law.

PRICE LIST € VAT EXCLUDED 10/2014

CODES - S ITEMS WITH REDUCED DISCOUNT

S00240	BATTELLO GIBSY 200 " D " AVVOLGIBILE	NR	419,00
S00243	BATTELLO GIBSY 230 " D " AVVOLGIBILE	NR	457,00
S00245	BATTELLO GIBSY 249 " D " AVVOLGIBILE	NR	496,00
S00248	BATTELLO GIBSY 280 " D " AVVOLGIBILE	NR	575,00
S00456	BATTELLO GIBSY 160 " KL " PAGLIOLO GONFIABILE	NR	464,00
S00458	BATTELLO GIBSY 180 " KL " PAGLIOLO GONFIABILE	NR	524,00
S00460	BATTELLO GIBSY 200 " KL " PAGLIOLO GONFIABILE	NR	580,00
S00465	BATTELLO GIBSY 249 " KL " PAGLIOLO GONFIABILE	NR	709,00
S00929	BATTELLO GIBSY 290 " VENUS " CARENA VTR	NR	3.486,00
S00929B	BATTELLO GIBSY 290B " VENUS BLU " CARENA VTR	NR	3.680,00
S00932	BATTELLO GIBSY 320 " VENUS " CARENA VTR	NR	3.755,00
S00932B	BATTELLO GIBSY 320B " VENUS BLU " CARENA VTR	NR	3.950,00
S00936	BATTELLO GIBSY 360 " VENUS " CARENA VTR	NR	4.600,00
S00936B	BATTELLO GIBSY 360B " VENUS BLU" CARENA VTR	NR	4.785,00
061270	TAVOLETTA SUPPORTO MOTORE DIM.177x168mm	NR	11,43
096344	RUOTA SOFT IN POLIURET. 300/4" FORO D. 20	NR	18,98
096348	RUOTA SOFT IN POLIURET. 350/8" FORO D. 25	NR	33,50
096350	RUOTA SOFT IN POLIURET. 400/8" FORO D. 25	NR	37,94
125901	POLTRONCINA PIEGHEVOLE "NAOMI" ECRU'	NR	102,00
125902	POLTRONCINA PIEGHEVOLE "NAOMI" BLU	NR	102,00
125907	POLTRONCINA PIEG. INOX TELA E APPOGGIABRACCIA	NR	207,90
125908	POLTRONCINA PIEG. INOX CUSCINI E APPOGGIABRACCIA	NR	224,76
125973	COLONNA SEDILE FISSA 450mm	NR	66,76
125978	PIASTRA SEDILE SCORREVOLE x 125973/5/6	NR	48,74
125981	COLONNA SEDILE GIREVOLE ALLUMINIO H 46.5 cm.	NR	88,30
125982	COLONNA SEDILE GIREV. ALLUM. C/PIASTRA SCORREVOLE H 46.5	NR	126,50
125985	COLONNA SEDIILE CON ATTUATORE A GAS H 430-610 cm.	NR	207,75
126006	SEDILE IN SIMILPELLE CON CERNIERE NYLON	NR	70,40
126012	SEDILE SIMILPELLE BLU CERNIERE INOX VERNICIATE	NR	69,24
127135	RACCORDO AISI 316 PER TUBI Ø 22-25	NR	12,83
127135	RACCORDO AISI 316 PER TUBI Ø 22-25	NR	12,83
127137	TENDITORI PER TUBO CAPOTTINE Ø 20 mm	NR	21,93
127139	TENDITORI PER TUBO CAPOTTINE Ø 25 mm	NR	23,93
127172	GIUNTO APRIBILE CON PERNO SFILAB. Ø 22	NR	7,83
127175	GIUNTO APRIBILE CON PERNO SFILAB. Ø 25	NR	10,78
127232	COPPIGLIE A MOLLA AIISI 316 D 2X48 CF 10 PZ	CF	5,08
127232B	COPPIGLIE A MOLLA AIISI 316 D 2X48 CF 2 PZ	CF	3,34
127233	COPPIGLIE A MOLLA AIISI 316 D 3X70 CF 10 PZ	CF	6,43
127233B	COPPIGLIE A MOLLA AIISI 316 D 3X70 CF 2 PZ	CF	3,65
127234	COPPIGLIE A MOLLA AIISI 316 D 4X76 CF 10 PZ	CF	8,50
127234B	COPPIGLIE A MOLLA AIISI 316 D 4X76 CF 2 PZ	CF	4,09
127235	COPPIGLIE A MOLLA AIISI 316 D 5X100 CF 10 PZ	CF	12,18
127235B	COPPIGLIE A MOLLA AIISI 316 D 5X100 CF 2 PZ	CF	4,92
127236	COPPIGLIE A MOLLA AIISI 316 D 6X125 CF 10 PZ	CF	20,98
127236B	COPPIGLIE A MOLLA AIISI 316 D 6X125 CF 2 PZ	CF	6,78
127266B	SPINA AUTOBLOC. C/CAVO DIAM.6.35x47mm Cf. 2Pz.	CF	6,24
127578	RONDELLA FERMAPANNELLI DENTATA D. 50 mm.	NR	0,69
127920	SEDILE A GAVONE " DEVIS " 80 x 32 x H 52	NR	339,00
127923	SEDILE A GAVONE " KING " 142 x 48 x H 55	NR	741,00
127941	KIT TIMONERIA IDRAULICA GOTECH 115 HP	NR	797,40
127942	POMPA IDRAULICA ULTRAFLEX UP 18	NR	357,30
127943	CILINDRO IDRAULICO ULTRAFLEX UC81-OBF	NR	330,30
128001	RACCORDO A T CON FILETTO NEI TRE LATI 9/16	NR	24,37
128002	RACCORDO A T CON SFIATO 9/16 - 1/4	NR	28,73
128003	RACCORDO A 90° CON FILETTI 9/16 - 1/4	NR	14,11
128004	RACCORDO DRITTO CON FILETTI 9/16-1/4	NR	10,90
128026	KIT 2 TUBI OB-GT/M X TIMONERIA GOTECH	NR	77,76
128092	KIT 2 TUBI RACCORDATI 12' **	CF	123,60
128093	KIT 2 TUBI RACCORDATI 14' **	CF	127,35
128097	KIT 2 TUBI RACCORDATI 22' **	CF	139,80
128098	KIT 2 TUBI RACCORDATI 24' **	CF	143,25
128118	KIT TIMONERIA IDRAULICA GF90BT >	NR	587,10
128119	POMPA IDRAULICA GM3MRA	NR	392,45
128121	CILINDRO IDRAULICO MC90B	NR	312,93
129646	VOLANTE INOX RIV. POLIUREANO 5 RAZZE D 34	NR	91,01
142240	TAPPO PLASTICA PORTAC.INCASSO	NR	1,92
142250	PORTACANNA AD INCASSO INOX 316	NR	17,61
142251	BOCCOLA PROTEZ. INTERNA PORTAC. 142250	NR	6,37
142257	PORTACANNA IN ABS AD INCASSO NERA	NR	3,74
142258	PORTACANNA IN ABS AD INCASSO BIANCA	NR	3,97
142288	PORTACANNA A PARETE INOX AISI 316	NR	20,58
143289	CHIUSURA CON PORTALUCCHETTO mm. 54x23	NR	2,82
143290	CHIUSURA CON PORTALUCCHETTO mm. 64 x 23	NR	5,21
143292	CHIUSURA CON BLOCCO INOX 316 mm. 70 x 28	NR	4,91
143293	CHIUSURA CON BLOCCO INOX 316 mm. 94x28	NR	5,08
143336	CERNIERA INOX AISI 316 mm. 60x39	NR	3,59
143800	PONTICELLO ACCIAIO INOX AISI 316 mm. 65	NR	4,71
143801	PONTICELLO ACCIAIO INOX AISI 316 mm. 80	NR	5,29
143802	PONTICELLO ACCIAIO INOX AISI 316 mm. 100	NR	7,07
149993	TIENTIBENE INOX CON LED cm. 30	NR	25,95
149995	TIENTIBENE INOX CON LED cm. 50	NR	39,11
149998	TIENTIBENE INOX CON LED cm. 80	NR	50,46
200738	CHIUSURA INOX REGOLABILE 98 x 26 mm.	NR	61,78
200808	FERMAPORTE-ANTINE MAGNETICO ABS	NR	22,85
201165	CHIUSURA INOX REGOLABILE 98 x 26 mm.	NR	5,09
201166	CHIUSURA INOX REGOLABILE 150 x 40 mm.	NR	9,80
201172	CHIUSURA INOX 100x30 mm.	NR	13,67
201196	APPENDIABITO A SCOMPARSA INOX AISI 316	NR	8,42
210900	PASSACAVO INCROCIATO CP. AISI 316 115 mm	CP	19,59
210902	PASSACAVO INCROCIATO CP. AISI 316 150 mm	CP	33,98
210906	PASSACAVO INCROCIATO CP. AISI 316 115 mm	CP	46,37
210907	PASSACAVO INCROCIATO CP. AISI 316 150 mm	CP	71,16
210908	PASSACAVO INCROCIATO CP. AISI 316 200 mm	CP	101,87
210919	PASSACAVO A RULLI AISI 316 205 mm	NR	81,09
210920	PASSACAVO A RULLI AISI 316 mm 260	NR	122,92
240120	CUCINA A GAS 2 FUOCHI C/FORNO-GRILL-ACC.ELETTR.	NR	823,50
240122	CUCINA A GAS 2 FUOCHI C/FORNO e GRILL	NR	913,50
240123	CUCINA A GAS 3 FUOCHI C/FORNO-GRILL-ACC.ELETTR.	NR	913,50
240124	CUCINA A GAS 2 FUOCHI C/FORNO	NR	793,50
243410	DOCCETTA A STILO CON TESTA IN OTTONE	NR	13,30
250290	TANICA D' EMERGENZA PIEGHEVOLE	NR	5,15
260824	ANTIFURTO ACCIAIO INOX cm. 23 CON LUCCHETTO	NR	23,69
260835	ANTIFURTO ACCIAIO INOX cm. 28 CON LUCCHETTO	NR	29,37
290026	BOCCHETTONE SCARICO D.40	NR	12,97
290027	BOCCHETTONE SCARICO D.50-60	NR	18,11
290028	BOCCHETTONE SCARICO D. 75-90	NR	46,52
292182	TUBO CARBURANTE GRIGIO Ø INTERNO 8 mm.	MT	1,82
292184	TUBO CARBURANTE RINF. GRIGIO Ø INTERNO 8 mm.	MT	3,31
292186	TUBO CARBURANTE RINF. GRIGIO Ø INTERNO 9 mm.	NR	4,21
292188	TUBO CARBURANTE GRIGIO CERTIFICATO D. 8	MT	4,33
292189	TUBO CARBURANTE GRIGIO CERTIFICATO D. 9.5	MT	4,88
292192	TUBO CARBURANTE CERT. USA GRIGIO Ø INT. 8 mm.	NR	6,34
292194	TUBO CARBURANTE CERT. USA GRIGIO Ø INT. 9.5 mm.	NR	7,13
292305	TUBAZIONE CARBURANTE CON POMPA Mt 2	NR	9,89
292307	TUBAZIONE CARB. RINFORZATA C/ POMPA Mt 2	NR	14,78
297016	FILTRO DECANTATORE GASOLIO	NR	31,45
297017	FILTRO DECANTATORE BENZINA C/FILTRO INT.	NR	36,69
300101	SERBATOIO A TANICA C/INDICATORE Lt. 22	NR	35,82
300104	SERBATOIO PLASTICA GFN Lt. 12	NR	24,26
300107	SERBATOIO GFN CON LIVELLO Lt. 24	NR	31,02
300113	SERBATOIO IN ELTEX Lt. 12	NR	22,05
300123	SERBATOIO IN ELTEX Lt. 24 con indic. livello	NR	31,02
300124	TAPPO RICAMBIO X SERBATOIO Lt. 12-24	NR	5,10
300124	TAPPO RICAMBIO X SERBATOIO Lt. 12-24	NR	5,10
300124	TAPPO RICAMBIO X SERBATOIO Lt. 12-24	NR	5,10
300124G	GUARNIZIONE IN SUGHERO PER TAPPO 301124	NR	1,00
300124G	GUARNIZIONE IN SUGHERO PER TAPPO 301124	NR	1,00
300124G	GUARNIZIONE IN SUGHERO PER TAPPO 301124	NR	1,00
300126	TAPPO C/SFIATO E MISURATORE DI LIVELLO	NR	14,82
300128	SERBATOIO CON LIVELLO Lt. 30	NR	35,50
300129	PESCANTE X SERBATOI 300101-4-7-13-23-28	NR	3,80
300129	PESCANTE X SERBATOI 300101-4-7-13-23-28	NR	3,80
300129	PESCANTE X SERBATOI 300101-4-7-13-23-28	NR	3,80
300212	BOCCAPORTO D'ISPEZIONE C/RACC.	NR	34,50
300212/1	GUARNIZIONE (O-RING) PER BOCCAPORTO D'ISPEZIONE	NR	6,50
300213	TAPPO RICAMBIO PER SERBATOIO	NR	5,80
310260	BOTOLA D'ISPEZIONE C/COPERCHIO STAGNO D.205mm	NR	11,32
310283	TASCA OVALE PORTAOGGETTI A PARETE 540x320x116 mm	NR	51,04
318946	SCARICO C/GHIERA E VALVOLA	NR	9,62
318946/1	KIT 2 GUARNIZIONI C/FORO E VALVOLA X ART. 318946	NR	3,39
338498	GANCIO PER ORMEGGIO IN NYLON	NR	3,51
381145	PAGAIA TELESCOPICA C/SACCA 80-105cm	NR	18,88
430965	GRILL STOP DETER. X GRILL 500 ML.	NR	8,96
431021	DETERGENTE IN POLVERE "UNICO" Lt. 1	NR	19,96
439776	NUOVO OLIO QUICKSILVER SINTETICO 4 TEMPI Lt.1	NR	12,82
439777	NUOVO OLIO QUICKSILVER SINTETICO 4 TEMPI Lt.4	NR	45,81
440128	ZINCO 98% SPRAY da 400 ml.	NR	5,97
440250	WD-40 SPRAY 250 ml. PROFESSIONALE.	NR	8,31
440256	WD-40 SPRAY 500 ml. PROFESSIONALE.	NR	13,71
440267	WD-40 LUBRIFICANTE AL SILICONE 400 ml. SPECIALIST	NR	16,26
440269	WD-40 SUPER SBLOCCANTE 400 ml. SPECIALIST	NR	16,26
440271	WD-40 GRASSO BIANCO AL LITIO 400 ml. SPECIALIST	NR	16,26
440273	WD-40 SGRASSANTE 500 ml. SPECIALIST	NR	16,26
440357	SILICONE SPRAY 2000 da 400 ml.	NR	4,49
440540	MUFFA STOP IL DISSOLVIMUFFA 250 ml.	NR	11,46
450620	TOGLI ETICHETTE RIMUOVI SILICONE 400 ML.	NR	5,57
461176	DISPENSER STENDINASTRO	NR	8,46
461180	NASTRO TRASPARENTE PER IMBALLO 0,5x66 MT	NR	1,89
461183	NASTRO BIANCO PER IMBALLO 0.5x66 MT.	NR	1,89
461185	NASTRO AVANA PER IMBALLO 0.5X66 MT	NR	1,89
477100	ANTIVEG. BOATGUARD EU BIANCA 750 ml.	NR	41,72
477101	ANTIVEG. BOATGUARD EU NERA 750 ml.	NR	41,72
477102	ANTIVEG. BOATGUARD EU AZZURRO 750 ml.	NR	41,72
477103	ANTIVEG. BOATGUARD EU BLU 750 ml.	NR	41,72
477104	ANTIVEG. BOATGUARD EU ROSSO 750 ml.	NR	41,72
477105	ANTIVEG. BOATGUARD EU BIANCA 2,5 Lt.	NR	130,95
477106	ANTIVEG. BOATGUARD EU NERA 2,5 Lt.	NR	130,95
477107	ANTIVEG. BOATGUARD EU AZZURRO 2,5 Lt.	NR	130,95
477108	ANTIVEG. BOATGUARD EU BLU 2,5 Lt.	NR	130,95
477109	ANTIVEG. BOATGUARD EU ROSSO 2,5 Lt.	NR	130,95
477251	ANTIVEG. MICRON EXTRA EU BIANCA 750 ml.	NR	77,76
477252	ANTIVEG. MICRON EXTRA EU NERA 750 ml.	NR	77,76
477253	ANTIVEG. MICRON EXTRA EU AZZUR 750 ml.	NR	77,76
477254	ANTIVEG. MICRON EXTRA EU BLU 750 ml.	NR	77,76
477255	ANTIVEG. MICRON EXTRA EU ROSSO 750 ml.	NR	77,76
477262	ANTIVEG. MICRON EXTRA EU BIANCA 2,5 LT.	NR	248,40
477263	ANTIVEG. MICRON EXTRA EU NERA 2,5 LT.	NR	248,40
477264	ANTIVEG. MICRON EXTRA EU AZZURRA 2,5 LT.	NR	248,40
477265	ANTIVEG. MICRON EXTRA EU BLU 2,5 LT.	NR	248,40
477266	ANTIVEG. MICRON EXTRA EU ROSSO 2,5 LT.	NR	248,40
477353	DILUENTE N° 3 da 1 Lt.	NR	19,56
477353	DILUENTE N° 3 da 1 Lt.	NR	19,56
477360	INTERSTRIP SVERNICIATORE da 1 Lt.	NR	48,84
477360	INTERSTRIP SVERNICIATORE da 1 Lt.	NR	48,84
477400	PRIMOCON PRIMER da 2,5 Lt.	NR	94,47
477400	PRIMOCON PRIMER da 2,5 Lt.	NR	94,47
477401	PRIMOCON PRIMER da 750 ml.	NR	33,90
477401	PRIMOCON PRIMER da 750 ml.	NR	33,90
477421	INTERPROTECT BIANCO da 750 ml.	NR	45,11
477421	INTERPROTECT BIANCO da 750 ml.	NR	45,11
477751	GELSHIELD 200 GRIGIO da 750 ml.	NR	60,05
477751	GELSHIELD 200 GRIGIO da 750 ml.	NR	60,05
477761	GELSHIELD 200 VERDE da 750 ml.	NR	60,05
477761	GELSHIELD 200 VERDE da 750 ml.	NR	60,05
478925	SKIPPER'S EPOFOND AM-9 BICOMP. 0,675+0,075 ml.	NR	27,28
478983	DILUENTE 765 x UNIFIBER 1 Lt.	NR	13,25
490497	PARABORDO O RULLO ALAGGIO Ø 260 x h 780	NR	35,31

PRICE LIST € VAT EXCLUDED 10/2014

CODES - S ITEMS WITH REDUCED DISCOUNT

490498	PARABORDO O RULLO ALAGGIO Ø 260 x h 1100	NR	44,02
490499	PARABORDO O RULLO ALAGGIO Ø 260 x h 1230	NR	52,80
490550	PARABORDO SALVAPRUA	NR	14,36
490624	PARABORDO BIANCO cm. 9 x 30	NR	7,35
490626	PARABORDO BIANCO cm. 12 x 42	NR	10,14
490628	PARABORDO BIANCO cm. 15 x 60	NR	15,43
490630	PARABORDO BIANCO cm. 19 x 68	NR	22,41
490631	PARABORDO BIANCO 20x56 cm.	NR	21,15
490632	PARABORDO BIANCO cm. 22 x 72	NR	28,50
490634	PARABORDO BIANCO cm. 25 x 80	NR	35,44
490636	PARABORDO BIANCO cm. 30 x 90	NR	50,34
490801	PARABORDO A PERA BIANCO cm. 9 x 11	NR	5,25
490806	PARABORDO A PERA BIANCO cm. 15 x 20	NR	7,12
490807	PARABORDO A PERA BIANCO cm. 18 x 24	NR	9,31
490808	PARABORDO A PERA BIANCO cm. 21 x 28	NR	10,64
490809	PARABORDO A PERA BIANCO cm. 26 x 36	NR	13,57
490835	PARABORDO PERA D.35 CON CALOTTA BLU	NR	31,26
490845	PARABORDO PERA D.45 CON CALOTTA BLU	NR	42,89
490855	PARABORDO PERA D.55 CON CALOTTA BLU	NR	53,73
490865	PARABORDO PERA D.65 CON CALOTTA BLU	NR	81,10
490868	PARABORDO PERA D.85 CON CALOTTA BLU	NR	106,23
490928	PARABORDO DI PRUA cm. 34 x H 36	NR	15,63
490929	PARABORDO DI PRUA cm. 53 x H 52	NR	29,57
497160	SCANDAGLIO A MANO 50 MT. CON PIOMBO	NR	22,23
497170	ELIOGRAFO DI SEGNALAZIONE - LINGUA ITALIANA	NR	2,17
497171	ELIOGRAFO DI SEGNALAZIONE - LINGUA FRANCESE	NR	2,17
497172	ELIOGRAFO DI SEGNALAZIONE - LINGUA INGLESE	NR	2,17
497173	ELIOGRAFO DI SEGNALAZIONE - LINGUA SPAGNOLA	NR	2,17
497431	ANTIVEG.JOTUN MARE NOSTRUM SP BIANCO 0,75 Lt.	NR	38,10
497432	ANTIVEG.JOTUN MARE NOSTRUM SP BIANCO 2,5 Lt.	NR	120,05
497435	ANTIVEG.JOTUN MARE NOSTRUM SP ROSSO 0,75 Lt.	NR	38,10
497437	ANTIVEG.JOTUN MARE NOSTRUM SP ROSSO 2,5 Lt.	NR	120,05
497441	ANTIVEG.JOTUN MARE NOSTRUM SP NERO 0,75 Lt.	NR	38,10
497442	ANTIVEG.JOTUN MARE NOSTRUM SP NERO 2,5 Lt.	NR	120,05
497445	ANTIVEG.JOTUN MARE NOSTRUM SP BLU 0,75 Lt.	NR	38,10
497447	ANTIVEG.JOTUN MARE NOSTRUM SP BLU 2,5 Lt.	NR	120,05
497540	ANTIVEG. JOTUN AQUALINE SPRAY NERO 400 ML	NR	40,80
497543	ANTIVEG. JOTUN AQUALINE SPRAY GRIGIO 400 ML	NR	40,80
497601	PRIMER JOTUN ANTIPEST GRIGIO 0,75 Lt.	NR	33,67
497602	PRIMER JOTUN ANTIPEST GRIGIO 2,5 Lt.	NR	105,77
497606	PRIMER JOTUN VINYL PRIMER SPRAY 400 ML	NR	32,03
497606	PRIMER JOTUN VINYL PRIMER SPRAY 400 ML	NR	32,03
497608	PRIMER JOTUN VINYL ALLUMINIO 0,75 Lt.	NR	22,85
497608	PRIMER JOTUN VINYL ALLUMINIO 0,75 Lt.	NR	22,85
497609	PRIMER JOTUN VINYL ALLUMINIO 2,5 Lt.	NR	73,04
497609	PRIMER JOTUN VINYL ALLUMINIO 2,5 Lt.	NR	73,04
497630	EPOXY REPAIR STUCCO BICOMPONENTE	NR	54,00
497721	DILUENTE N. 7 JOTUN Lt. 1	NR	15,02
497721	DILUENTE N. 7 JOTUN Lt. 1	NR	15,02
497721	DILUENTE N. 7 JOTUN Lt. 1	NR	15,02
497721	DILUENTE N. 7 JOTUN Lt. 1	NR	15,02
497723	DILUENTE N. 7 JOTUN Lt. 5	NR	64,96
497723	DILUENTE N. 7 JOTUN Lt. 5	NR	64,96
497723	DILUENTE N. 7 JOTUN Lt. 5	NR	64,96
497723	DILUENTE N. 7 JOTUN Lt. 5	NR	64,96
497731	DILUENTE N. 17 JOTUN Lt. 1	NR	22,08
497733	DILUENTE N. 17 JOTUN Lt. 5	NR	98,22
500362	ANELLO ANTINCENDIO D. ESTERNO 67 mm.	NR	6,04
500363	CONTENITORE COMANDO ESTINTORE A DISTANZA	NR	12,65
500414	ZATTERA OCEANIC GRAB BAG 4 P. RIGIDA ARIMAR	NR	2.391,26
500416	ZATTERA OCEANIC GRAB BAG 6 P. RIGIDA ARIMAR	NR	2.517,12
500418	ZATTERA OCEANIC GRAB BAG 8 P. RIGIDA ARIMAR	NR	2.705,90
500420	ZATTERA OCEANIC GRAB BAG 10P. RIGIDA ARIMAR	NR	2.989,08
500422	ZATTERA OCEANIC GRAB BAG 12P. RIGIDA ARIMAR	NR	3.217,19
500434	ZATTERA OCEANIC GRAB BAG 4 P. VALIGIA ARIMAR	NR	2.281,14
500436	ZATTERA OCEANIC GRAB BAG 6 P. VALIGIA ARIMAR	NR	2.438,46
500438	ZATTERA OCEANIC GRAB BAG 8 P. VALIGIA ARIMAR	NR	2.627,24
500440	ZATTERA OCEANIC GRAB BAG 10P. VALIGIA ARIMAR	NR	2.831,76
502300	CINGHIE REGOLABILI LUNG.1.30 MT-LARGH.25mm	CP	10,13
503941	MOQUETTE NAUTICA BEIGE H 200 cm.	ML	47,40
503942	MOQUETTE NAUTICA BLU NAVY H 200 cm.	ML	47,40
503943	MOQUETTE NAUTICA BLU ELETTRICO H 200 cm.	ML	47,40
503944	MOQUETTE NAUTICA GRIGIO H 200 cm.	ML	47,40
503947	MOQUETTE RIGATA BLU-NERO H 200 cm.	ML	47,40
503948	MOQUETTE RIGATA GRIGIO-NERO H 200 cm.	ML	47,40
511705	DOPPIA TRECCIA 100% POLIEST. AT. Ø 5 PER SCOTTE	MT	0,38
511706	DOPPIA TRECCIA 100% POLIEST. AT. Ø 6 PER SCOTTE	MT	0,50
511708	DOPPIA TRECCIA 100% POLIEST. AT. Ø 8 PER SCOTTE	MT	0,82
511710	DOPPIA TRECCIA 100% POLIEST. AT. Ø 10 PER SCOTTE	MT	1,13
511712	DOPPIA TRECCIA 100% POLIEST. AT. Ø 12 PER SCOTTE	MT	1,82
511714	DOPPIA TRECCIA 100% POLIEST. AT. Ø 14 PER SCOTTE	MT	2,51
511804	DOPPIA TRECCIA 100% POLIEST. AT. Ø 4 PER DRIZZE	MT	0,31
511805	DOPPIA TRECCIA 100% POLIEST. AT. Ø 5 PER DRIZZE	MT	0,56
511806	DOPPIA TRECCIA 100% POLIEST. AT. Ø 6 PER DRIZZE	MT	0,69
511808	DOPPIA TRECCIA 100% POLIEST. AT. Ø 8 PER DRIZZE	MT	1,19
511810	DOPPIA TRECCIA 100% POLIEST. AT. Ø 10 PER DRIZZE	MT	1,82
511812	DOPPIA TRECCIA 100% POLIEST. AT. Ø 12 PER DRIZZE	MT	2,63
514991	NASTRO PROTEZIONE CIME Ø MAX 18 mm	MT	19,95
514993	NASTRO PROTEZIONE CIME Ø MAX 28 mm	MT	22,80
514995	NASTRO PROTEZIONE CIME Ø MAX 44 mm	MT	27,08
530097	BUSSOLA "PEGASUS 4" BP2 BIANCA C/ROSA BIANCA	NR	176,70
530098	BUSSOLA "PEGASUS 4" BP2 BIANCA C/ROSA NERA	NR	176,70
530099	BUSSOLA "PEGASUS 4" BP2 NERA C/ROSA BIANCA	NR	176,70
530100	BUSSOLA "PEGASUS 4" BP2 NERA C/ROSA ROSSA	NR	176,70
530135	BUSSOLA TATTICA "ZENIT BZT" BIANCA	NR	142,50
530136	BUSSOLA TATTICA "ZENIT BZT" NERA	NR	142,50
540161	OROLOGIO RADIOS. ANTARES 95 OTT. LUCIDO D.95 mm.	NR	35,96
540162	OROLOGIO RADIOSET.PEGASUS 95 OTT. CROMATO D.95 mm.	NR	36,36
540171	OROLOGIO RADIOSET.ANTARES 150 OTT. LUCIDO D.150 mm.	NR	63,92
540172	OROLOGIO RADIOSET.PEGASUS 150 OTT.CROMATO D.150 mm.	NR	70,48
540178	TERMOIGROMETRO POSEIDON 115 OTTONE LUCIDO D.115 mm.	NR	40,16
540179	TERMOIGROMETRO POSEIDON 115 OTTONE CROMATO D.115 mm	NR	43,47
540183	TERMOIGROMETRO ANTARES 95 OTTONE LUCIDO D.95 mm.	NR	30,98
540185	TERMOIGROMETRO PEGASUS 95 OTTONE CROMATO D.95 mm.	NR	32,81
540186	TERMOIGROMETRO ANTARES 150 OTTONE LUCIDO D.150 mm.	NR	51,32
540188	BAROMETRO ANTARES 150 OTTONE LUCIDO D.150 mm.	NR	64,13
540191	BAROMETRO PEGASUS 95 OTTONE CROMATO D.95 mm.	NR	42,92
540192	BAROMETRO POSEIDON 115 OTTONE LUCIDO D.115 mm.	NR	53,81
540193	BAROMETRO POSEIDON 115 OTTONE CROMATO D.115 mm.	NR	57,36
540195	BAROMETRO ANTARES 95 OTTONE LUCIDO D.95 mm.	NR	39,90
540198	OROLOGIO ANTARES 150 OTTONE LUCIDO D.150 mm.	NR	60,11
540205	OROLOGIO ANTARES 95 OTTONE LUCIDO D.95 mm.	NR	35,96
540207	OROLOGIO PEGASUS 95 OTTONE CROMATO D.95 mm. .	NR	33,73
540210	OROLOGIO POSEIDON 115 OTTONE LUCIDO D.115 mm.	NR	52,11
540211	OROLOGIO POSEIDON 115 OTTONE CROMATO D.115 mm.	NR	55,91
540233	IGROMETRO PEGASUS 95 OTTONE CROMATO D.95 mm.	NR	26,91
540235	IGROMETRO POSEIDON 115 OTTONE CROMATO D.115 mm.	NR	41,34
540241	IGROMETRO POSEIDON 115 OTTONE LUCIDO D.115 mm.	NR	38,06
540243	IGROMETRO ANTARES 95 OTTONE LUCIDO D.95 mm.	NR	39,24
540246	TERMOMETRO POSEIDON 115 OTTONE LUCIDO D.115 mm.	NR	38,06
540248	TERMOMETRO PEGASUS 95 OTTONE CROMATO D.95 mm.	NR	24,94
540249	TERMOMETRO ANTARES 95 OTTONE LUCIDO D.95 mm.	NR	26,12
540251	TERMOMETRO POSEIDON 115 OTTONE CROMATO D.115 mm.	NR	42,79
580095	PLACCA PORTAPANCA BATTELLI PVC BIANCA	NR	6,94
580096	PLACCA PORTAPANCA BATTELLI PVC GRIGIA	NR	6,94
580118	PAGLIOLO GONFIABILE PER BATTELLI GIBSY 185 M	NR	169,23
580121	PAGLIOLO GONFIABILE PER BATTELLI GIBSY 210 M	NR	203,08
580123	PAGLIOLO GONFIABILE PER BATTELLI GIBSY 230 M	NR	236,92
580127	PAGLIOLO GONFIABILE PER BATTELLI GIBSY 270 M	NR	406,15
580132	PAGLIOLO GONFIABILE PER BATTELLI GIBSY 320 M	NR	507,69
580138	PAGLIOLO GONFIABILE PER BATTELLI GIBSY 380 M	NR	626,15
583473	PORTAREMI PER BATTELLI IN PVC GRIGIO	NR	3,81
583474	PORTAREMI PER BATTELLI IN PVC BLUE	NR	3,81
583760	PROFILO PARACOLPI PVC GRIGIO INS. BIANCO L. 80 mm	MT	8,88
583761	PROFILO PARACOLPI PVC GRIGIO INS. BLUE L. 80 mm	MT	8,88
583920	PIATTINA IN PVC CON INSERTO BIANCO L. 70 mm	MT	14,80
583921	PIATTINA IN PVC CON INSERTO BLU L. 70 mm	MT	14,80
584975	ADEDUR 36 ATTIVATORE TRASP. ml 30 #	NR	6,65
585011	ULTRAPROFESSIONAL KIT NEOPRENE ARANCIO #	NR	39,83
585012	ULTRAPROFESSIONAL KIT NEOPRENE BIANCO #	NR	39,83
585013	ULTRAPROFESSIONAL KIT NEOPRENE NERO #	NR	39,83
585014	ULTRAPROFESSIONAL KIT NEOPRENE GRIGIO #	NR	39,83
585016	ULTRAPROFESSIONAL KIT PVC GRIGIO #	NR	41,30
585017	ULTRAPROFESSIONAL KIT PVC BIANCO #	NR	41,30
585018	ULTRAPROFESSIONAL KIT PVC NERO #	NR	41,30
585019	ULTRAPROFESSIONAL KIT PVC GRIGIO #	NR	41,30
595197	LANCIA GETTO VARIABILE "BLU TECH"	NR	7,79
595210	LANCIA LAVAGGIO REGOLABILE IN PLASTICA	NR	3,87
595245	PRESA RUBINETTO "BLU TECH" 3/4" E RID.1/2"	NR	2,88
595260	ATTACCO RAPIDO "BLU TECH" DA 1/2"	NR	3,35
595262	ATTACCO RAPIDO "BLU TECH" DA 3/4"	NR	3,48
600180	POMPA LAVAGGIO AUTOCLAVE 12V. 20 LT/min	NR	134,07
600204	AUTOCLAVE PROFESSIONALE 42S 12V. 11.3 /l/min	NR	79,96
600208	AUTOCLAVE PROFESSIONALE 51S 12V. 20 LT/min	NR	94,77
600434	POMPA A MANO A DOPPIO MANDATA X ESTRAZ. OLIO	NR	16,82
601003	KIT CERNIERE TOILETTE JABSCO 2008	NR	24,93
601004	KIT CERNIERE TOILETTE JABSCO STANDARD	NR	24,93
601006	VALVOLA NON RITORNO TOILETTE JABSCO ORIG.	NR	19,72
601029	GIRANTE JABSCO ORIG. X TOILETTE ELETTRICA	NR	33,12
601039	VALVOLA DI NON RITORNO WC MANUALI 601000/01	NR	9,50
601053	TOILETTE ELETTRICA GIREVOLE 360° 12V ACQUA DI MARE	NR	658,50
601054	TOILETTE ELETTRICA GIREVOLE 360° 12V ACQUA DOLCE	NR	658,50
601057	TOILETTE ELETTRICA GIREVOLE 360° 24V ACQUA DI MARE	NR	658,50
601058	TOILETTE ELETTRICA GIREVOLE 360° 24V ACQUA DOLCE	NR	658,50
601148	TASCA PORTACELLULARE O PALMARE 126x98 mm.	NR	9,28
601196	ASPIRATORE/VENTIL.IN LINEA 3690 L/MIN.	NR	25,05
601197	ASPIRATORE/VENTIL.IN LINEA 7660 L/MIN.	NR	33,76
601205	PORTALATTINE - PORTABICCHIERE OSCILLANTE	NR	3,92
601212	POSACENERE A SACCHETTO BLU	NR	45,02
601214	POSACENERE A SACCHETTO GIALLO	NR	45,02
601215	POSACENERE A SACCHETTO ROSSO-BIANCO	NR	45,90
601216	POSACENERE A SACCHETTO CAMEL	NR	46,51
601217	POSACENERE A SACCHETTO BANDIERE	NR	54,20
601400	COVER TABLET IPAD 1 - 2 - 3 - 4	NR	83,79
601405	COVER SMARTPHONE	NR	71,65
601410	COVER IPHONE	NR	52,43
601415	COVER	NR	38,43
627060	TROMBA ELETTRICA OVALE INCASSO TONDO	NR	18,56
627430	SIRENA BITONALE NAUTYPOL 115 SUONO POLIZIA	CP	684,00
627434	SIRENA BITONALE CITYPOL 115/VFA SUONO SOCCORSO	CP	474,24
627633	CASSETTA PORTA BATTERIA MIDI X100 AMP	NR	14,62
627655	CASSETTA PORTABATTERIA CON CONNETTORI	NR	63,46
628954	CARICABATTERIE SBC NGR 140 FR 12V 12A	NR	211,41
628955	CARICABATTERIE SBC NGR 250 FR12V 25A	NR	279,53
628960	CARICABATTERIE SBC NGR 300 FR 12V 30A	NR	357,05
628965	CARICABATTERIE SBC NGR 500 FR 12V 40A	NR	613,09
628966	CARICABATTERIE SBC NRG 700 FR 12V 60A	NR	735,24
628975	CARICABATTERIE SBC NRG 750 FR 24 V 30A	NR	722,32
628977	CARICABATTERIE SBC NGR 1450 HR 24 V 60A	NR	939,60
628978	CARICABATTERIE SBC NRG 1950 HR 24V 80A	NR	1.585,58
628979	CARICABATTERIE SBC NRG 2450 HR 24V 100A	NR	1.914,84
629070	ALTOPARLANTE GME S6+ 140W HIGH PERFORMANCE	CP	123,12
629073	ALTOPARLANTE GME S5 110W NEW	CP	95,76
629074	ALTOPARLANTE GME S6 140W NEW	CP	114,00
629160	ANTENNA FASTFIT VHF 150 cm	NR	40,50
629161	ANTENNA FASTFIT VHF250 cm	NR	56,70
629162	ANTENNA FASTFIT CB 150 cm	NR	69,30
629163	ANTENNA FASTFIT AM-FM 150 cm	NR	40,50

CODES - S ITEMS WITH REDUCED DISCOUNT

629165	BASE ANTENNA FASTFIT SNOD. IN NYLON CON CAVO	NR	**37,80**
629165	BASE ANTENNA FASTFIT SNOD. IN NYLON CON CAVO	NR	**37,80**
629165	BASE ANTENNA FASTFIT SNOD. IN NYLON CON CAVO	NR	**37,80**
629166	BASE ANTENNA FASTFIT SNOD. IN OTTONE CON CAVO	NR	**81,00**
629166	BASE ANTENNA FASTFIT SNOD. IN OTTONE CON CAVO	NR	**81,00**
629166	BASE ANTENNA FASTFIT SNOD. IN OTTONE CON CAVO	NR	**81,00**
630395	CHIAVETTE PER FUORIBORDO NR 10 CON CORDINO	NR	**5,08**
630397	INTERRUTTORE A STRAPPO UNIVERSALE CON CAVO GALLEGG.	NR	**8,93**
630430	CONTENITORE COMANDO BLOCCO CARBURANTE	NR	**12,65**
639670	CORNICE CROMATA FARETTO IRIS INCASSO	NR	**11,16**
639670	CORNICE CROMATA FARETTO IRIS INCASSO	NR	**11,16**
639671	CORNICE BIANCA X FARETTO IRIS MONT. INCASSO	NR	**5,40**
639671	CORNICE BIANCA X FARETTO IRIS MONT. INCASSO	NR	**5,40**
639674	CORNICE CROMATA X FARETTO IRIS MONT. PARETE	NR	**11,16**
639674	CORNICE CROMATA X FARETTO IRIS MONT. PARETE	NR	**11,16**
639675	CORNICE BIANCA X FARETTO IRIS MONT. PARETE	NR	**7,56**
639675	CORNICE BIANCA X FARETTO IRIS MONT. PARETE	NR	**7,56**
639677	FARETTO ESTERNO - SUB A 6 LED 10-30V LUCE BIANCA	NR	**243,60**
639678	FARETTO ESTERNO - SUB A 6 LED 10-30V LUCE BLU	NR	**243,60**
639680	FARETTO SUBACQUEO A 6 LED 10-30V LUCE BIANCA	NR	**381,06**
639681	FARETTO SUBACQUEO 6 LED 10-30V LUCE BLU	NR	**381,06**
639685	DISTANZIALE PER FARETTI 639677 > 681	NR	**62,64**
639685	DISTANZIALE PER FARETTI 639677 > 681	NR	**62,64**
639686	FARETTO INCASSO 24 MICROLED 12V CROMATO	NR	**22,26**
639687	FARETTO INCASSO 24 MICROLED 12V COLORE ALLUMINIO	NR	**22,26**
639688	FARETTO INCASSO 24 MICROLED 12V COLORE ORO	NR	**22,26**
641267	PILA DURACELL STILO RICARICABILE 2400 mAh BL.4 Pz	CF	**18,99**
641268	PILA DURACELL MINISTILO RICARICABILE 800 mAh BL.4 Pz	CF	**18,99**
641275	CARICABATTERIE DURACEL + 2 STILO +2 MINISTILO RIC.	NR	**42,30**
642090	ASTA BANDIERA ALLUM. TELESCOPICA D. 19 LUNG. 63>115	NR	**29,90**
642135	ASTA BANDIERA LEGNO MARINO VERN. L. 45 cm.	NR	**12,67**
642136	ASTA BANDIERA LEGNO MARINO VERN. L. 60 cm.	NR	**13,51**
642137	ASTA BANDIERA LEGNO MARINO VERN. L. 75 cm.	NR	**14,37**
643136	FERMO DI CHIUSURA IN PLASTICA PER GHIACCIAIE	NR	**11,85**
646140	CAVETTO PORTA PESCI INOX	NR	**5,75**
648000	CINTURA PORTAPESI SUB FIBBIA INOX 140 X 50	NR	**9,88**
648010	COLTELLO SUB TORPEDO LAMA INOX cm. 9	NR	**23,06**
648011	COLTELLO SUB TORPEDO LAMA INOX cm. 11.5	NR	**25,37**
648236	COLTELLO SCIALUPPA GALLEG. CHIUDIBILE L.18.5 Cm	NR	**7,92**
750003	CHIAVE PER DADI ELICHE 27 mm. Lunghezza 33 cm	NR	**8,41**
750213	BLOCCHETTO ANTIFURTO X GIUNTI RIMORCHI	NR	**12,00**
750600	VERRICELLO ELET. SUPERWINCH LT2000	NR	**252,70**
750604	VERRICELLO ELET. SUPERWINCH TERRA 35	NR	**555,81**
750606	VERRICELLO ELET. SUPERWINCH TERRA 45	NR	**649,99**
750607	VERRICELLO ELET. SUPERWINCH S 3000	NR	**786,73**
750608	VERRICELLO ELET. SUPERWINCH S 4000	NR	**824,88**
750610	VERRICELLO ELET. SUPERWINCH S 5000	NR	**986,03**
750614	VERRICELLO ELET. 24V. SUPERWINCH S 4000	NR	**905,54**
750840	SERVOTIMONE C/RUOTINO RETR.D.60 RUOT.200x55	NR	**69,60**

G.F.N. s.r.l.

Via Frattina, 3
35011 CAMPODARSEGO
(PADOVA) - ITALY
Tel. (+39) 049 9200196 r.a.
Fax (+39) 049 5564050
e-mail: info@gfn.it
www.gfn.it